


# Anabolic Lab™

Analytical Lab Testing for  
Anabolic Steroid Harm Reduction

<https://anaboliclab.com>

Lab Report – October 18, 2016

Alpha Pharma Healthcare  
Alphabolin (100 mg/mL)  
Methenolone Enanthate



If you like the attached report, please visit [our website](https://anaboliclab.com) to find out how you can support independent and objective lab testing.



Simec AG

Gärtnereweg 4 B | CH-4665 Oftringen  
Telefon +41 62 752 83 08 Fax +41 62 752 83 09  
E-Mail info@simec.ch www.simec.ch

# Test report

Number **C 48768**

**Object of analysis:** Alpha Pharma Alphabolin amp

**Customer:** AnabolicLab.com

**Samples:** 1

**Batch:** AB1308

**Receipt:** 29.09.2016



**Subject:** Content, Identification Methenolone enanthate

**Method(s):** HPLC, SOP M 006

Sample / Analysis:	Method	Status	Result	Specification	complies
<b><u>Methenolone enanthate:</u></b>					
Identification	HPLC	N	complies	complies	yes
Content	HPLC	N	98.7 mg/mL	100 mg/mL	-
TAMC	SOP M 006	N	< 1 CFU/mL	-	-
TYMC	SOP M 006	N	< 1 CFU/mL	-	-

Method-status: G = GMP A = accredited V = generally validated P = validated on product N = not validated  
E = external lab

**Remarks:** The sample(s) mentioned above have been analysed as they have been sent to us by the client. We have not controlled external processes like manufacturing, labelling, sampling, shipping, storage. These results are for information only and do not compensate for correct quality control by the manufacturer/distributor. Generally, pharmaceutical products have to be produced and distributed under full GMP/GDP regime, including GMP-compliant analyses with validated methods. It is not allowed to use this analysis in the context of doping/sports/competitions or any other illegal action, neither by the athlete nor by the tutor/trainer or any other person.

**Signatures:** controlled & released:  Staff: 

**completed:**  
18.10.2016


The enclosed results refer exclusively to the object of examination described above.  
The measuring accuracy is available on request. Only handwritten signatures are valid.  
Without written permission, it is not allowed to publish single parts of this report.

page 1 of 1

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 02.10.2016 20:19:00  
 Vial: 50  
 Probenidentifikation: C48768 A  
 Operator: zbe  
 Chrom.-Beding.: ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule: Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 17.10.2016 11:59:52  
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate	29,740	60750570	0,000	92,067
	32,910	2567011	0,000	3,890
	33,933	2667459	0,000	4,043
Nandrolone decanoate			0,000 BDL	


Totals		65985040	0,000	100,000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26  
 Steroide\070\_C48768 A-Rep1.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 02.10.2016 21:12:27  
 Vial: 50  
 Probenidentifikation: C48768 A  
 Operator: zbe  
 Chrom.-Beding.: ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule: Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 17.10.2016 11:59:57  
 Injektvolumen: 20



Channel A


UV Results

Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate	29,737	60581915	0,000	92,069
	32,913	2557845	0,000	3,887
	33,937	2661153	0,000	4,044
Nandrolone decanoate			0,000 BDL	
<b>Totals</b>		65800913	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26 Steroide\070\_C48768 A-Rep2.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Stereoide\Stereoide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 02.10.2016 22:05:58 Druckdatum: 17.10.2016 12:00:00  
 Vial: 50 Injektvolumen: 20  
 Probenidentifikation: C48768 A  
 Operator: zbe  
 Chrom.-Beding.: ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule: Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm



Channel A


UV Results

Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate	29,743	60752879	0,000	92,054
	32,913	2573641	0,000	3,900
	33,940	2670376	0,000	4,046
Nandrolone decanoate			0,000 BDL	
<b>Totals</b>		65996896	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26 Steroide\070\_C48768 A-Rep3.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Stereoide\Stereoide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 02.10.2016 22:59:25 Druckdatum: 17.10.2016 12:00:05  
 Vial: 51 Injektvolumen: 20  
 Probenidentifikation: C48768 B  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate	29,740	66624743	0,000	91,989
	32,917	2849115	0,000	3,934
	33,943	2952890	0,000	4,077
Nandrolone decanoate			0,000 BDL	


Totals		72426748	0,000	100,000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26  
 Steroide\071\_C48768 B-Rep1.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 02.10.2016 23:52:51  
 Vial: 51  
 Probenidentifikation: C48768 B  
 Operator: zbe  
 Chrom.-Beding.: ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule: Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 17.10.2016 12:00:09  
 Injektvolumen: 20



Channel A


UV Results

Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate	29,740	66667425	0,000	91,990
	32,917	2846609	0,000	3,928
	33,940	2958817	0,000	4,083
Nandrolone decanoate			0,000 BDL	
<b>Totals</b>		<b>72472851</b>	<b>0,000</b>	<b>100,000</b>

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26  
 Steroide\071\_C48768 B-Rep2.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Stereoide\Stereoide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 03.10.2016 00:46:22 Druckdatum: 17.10.2016 12:00:13  
 Vial: 51 Injektvolumen: 20  
 Probenidentifikation: C48768 B  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate	29,720	67022054	0,000	91,992
	32,897	2864733	0,000	3,932
	33,923	2969971	0,000	4,076
Nandrolone decanoate			0,000 BDL	
<b>Totals</b>		<b>72856758</b>	<b>0,000</b>	<b>100,000</b>


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26  
 Steroide\071\_C48768 B-Rep3.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met



Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 29.09.2016 17:24:58  
 Vial: 43  
 Probenidentifikation: STD Methenolone Enanthate  
 Operator: zbe  
 Chrom.-Beding.: ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule: Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 17.10.2016 11:52:47  
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate	29,783	62097058	0,000	100,000
Nandrolone decanoate			0,000 BDL	
<b>Totals</b>				
		62097058	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26 Steroide\033\_STD Methenolone Enanthate-Rep1.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 29.09.2016 18:18:26  
 Vial: 43  
 Probenidentifikation: STD Methenolone Enanthate  
 Operator: zbe  
 Chrom.-Beding.: ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule: Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 17.10.2016 11:52:52  
 Injektvolumen: 20




Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate	29,810	62484369	0,000	100,000
Nandrolone decanoate			0,000 BDL	
Totals		62484369	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26 Steroide\033\_STD Methenolone Enanthate-Rep2.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 29.09.2016 19:11:53 Druckdatum: 17.10.2016 11:52:57  
 Vial: 43 Injektvolumen: 20  
 Probenidentifikation: STD Methenolone Enanthate  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm



Channel A


UV Results

Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate	29,817	62206367	0,000	100,000
Nandrolone decanoate			0,000 BDL	
<b>Totals</b>		62206367	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26 Steroide\033\_STD Methenolone Enanthate-Rep3.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 29.09.2016 20:05:16 Druckdatum: 17.10.2016 11:53:02  
 Vial: 43 Injektvolumen: 20  
 Probenidentifikation: STD Methenolone Enanthate  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm



Channel A


UV Results

Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate	29,830	62280721	0,000	100,000
Nandrolone decanoate			0,000 BDL	
<b>Totals</b>		62280721	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26 Steroide\033\_STD Methenolone Enanthate-Rep4.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 29.09.2016 20:58:40 Druckdatum: 17.10.2016 11:53:07  
 Vial: 43 Injektvolumen: 20  
 Probenidentifikation: STD Methenolone Enanthate  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate	29,830	62581624	0,000	100,000
Nandrolone decanoate			0,000 BDL	
<b>Totals</b>		62581624	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26 Steroide\033\_STD Methenolone Enanthate-Rep5.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 29.09.2016 21:52:01  
 Vial: 43  
 Probenidentifikation: STD Methenolone Enanthate  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 17.10.2016 11:53:12  
 Injektvolumen: 20



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate	29,823	62053328	0,000	100,000
Nandrolone decanoate			0,000 BDL	
<b>Totals</b>		<b>62053328</b>	<b>0,000</b>	<b>100,000</b>

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26 Steroide\033\_STD Methenolone Enanthate-Rep6.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met