

Anabolic Lab™

Analytical Lab Testing for
Anabolic Steroid Harm Reduction

<https://anaboliclab.com>

Lab Report – November 17, 2016

Dragon Pharma
Enantat 250 (250 mg/mL)
Testosterone Enanthate



If you like the attached report, please visit [our website](https://anaboliclab.com) to find out how you can support independent and objective lab testing.



Simec AG

Gärtnereweg 4 B CH-4665 Oftringen
Telefon +41 62 752 83 08 Fax +41 62 752 83 09
E-Mail: info@simec.ch www.simec.ch

Test report

Number **C 48764**

Object of analysis: Dragonpharma Enantat 250

Customer: AnabolicLab.com

Samples: 1

Batch: DPTE-01

Receipt: 29.09.2016

Subject: Content, Identification Testosterone enanthate

Method(s): HPLC, SOP M 006

Sample / Analysis:	Method	Status	Result	Specification	complies
<u>Testosterone enanthate:</u>					
Identification	HPLC	N	complies	complies	yes
Content	HPLC	N	279.7 mg/mL	250 mg/mL	-
TAMC	SOP M 006	N	< 1 CFU/mL	-	-
TYMC	SOP M 006	N	< 1 CFU/mL	-	-

Method-status: G = GMP A = accredited V = generally validated P = validated on product N = not validated
E = external lab

Remarks: The sample(s) mentioned above have been analysed as they have been sent to us by the client. We have not controlled external processes like manufacturing, labelling, sampling, shipping, storage. These results are for information only and do not compensate for correct quality control by the manufacturer/distributor. Generally, pharmaceutical products have to be produced and distributed under full GMP/GDP regime, including GMP-compliant analyses with validated methods. It is not allowed to use this analysis in the context of doping/sports/competitions or any other illegal action, neither by the athlete nor by the tutor/trainer or any other person.

Signatures: controlled & released:

Staff:


completed:
17.11.2016

The enclosed results refer exclusively to the object of examination described above.
The measuring accuracy is available on request. Only handwritten signatures are valid.
Without written permission, it is not allowed to publish single parts of this report.

page 1 of 1

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 12.11.2016 21:07:41 Druckdatum: 14.11.2016 15:14:10
 Vial: 24 Injektvolumen: 20
 Probenidentifikation: C48764 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	5.507	55091	0.000	0.065
	14.940	32900609	0.000	38.597
	17.037	40480	0.000	0.047
Testosterone Propionate			0.000 BDL	
	22.467	156541	0.000	0.184
Nandrolone phenylpropionate	22.823	272463	0.000	0.320
Trenbolone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.687	51747279	0.000	60.707
Methenolone Enanthate	30.700	68218	0.000	0.080
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals		85240681	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\031_C48764 A-Rep1.dat

Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 12.11.2016 22:01:03
 Vial: 24
 Probenidentifikation: C48764 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:14:12
 Injektvolumen: 20



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	5.507	55508	0.000	0.065
	14.947	33117088	0.000	38.600
	17.043	42132	0.000	0.049
Testosterone Propionate			0.000 BDL	
	22.470	156753	0.000	0.183
Nandrolone phenylpropionate	22.830	275706	0.000	0.321
Trenbolone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.693	52077065	0.000	60.698
Methenolone Enanthate	30.710	72145	0.000	0.084
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	


Totals		85796397	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\031_C48764 A-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 12.11.2016 22:54:30
 Vial: 24
 Probenidentifikation: C48764 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:14:14
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.510	56332	0.000	0.066
	14.947	33147615	0.000	38.604
	17.047	41787	0.000	0.049
Testosterone Propionate			0.000 BDL	
	22.463	156160	0.000	0.182
Nandrolone phenylpropionate	22.823	273683	0.000	0.319
Trenbolone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.690	52120057	0.000	60.700
Methenolone Enanthate	30.703	69356	0.000	0.081
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	


Totals		85864990	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\031_C48764 A-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 12.11.2016 23:47:53
 Vial: 25
 Probenidentifikation: C48764 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:14:16
 Injektvolumen: 20



Channel A


UV Results				
Name	Time	Area	Amount	Area Percent
	5.507	60186	0.000	0.065
	14.953	35884594	0.000	38.504
	17.050	45620	0.000	0.049
Testosterone Propionate			0.000 BDL	
	22.470	170676	0.000	0.183
Nandrolone phenylpropionate	22.830	296469	0.000	0.318
Trenbolone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.690	56669872	0.000	60.807
Methenolone Enanthate	30.707	69241	0.000	0.074
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals		93196658	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\032_C48764 B-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 13.11.2016 00:41:20 Druckdatum: 14.11.2016 15:14:18
 Vial: 25 Injektvolumen: 20
 Probenidentifikation: C48764 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	5.513	61062	0.000	0.065
	14.950	35941530	0.000	38.473
	17.047	44983	0.000	0.048
Testosterone Propionate			0.000 BDL	
	22.467	170697	0.000	0.183
Nandrolone phenylpropionate	22.827	297051	0.000	0.318
Trenbolone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.687	56835444	0.000	60.839
Methenolone Enanthate	30.703	68528	0.000	0.073
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals		93419295	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\032_C48764 B-Rep2.dat

Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 13.11.2016 01:34:48
 Vial: 25
 Probenidentifikation: C48764 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:14:21
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.517	61247	0.000	0.066
	14.950	35797542	0.000	38.481
	17.043	44355	0.000	0.048
Testosterone Propionate			0.000 BDL	
	22.460	169163	0.000	0.182
Nandrolone phenylpropionate	22.820	295732	0.000	0.318
Trenbolone enanthate			0.000 BDL	
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.683	56586014	0.000	60.828
Methenolone Enanthate	30.697	71849	0.000	0.077
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	


Totals		93025902	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\032_C48764 B-Rep3.dat

Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 00:36:35 Druckdatum: 14.11.2016 15:11:03
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	10.023	56231	0.000	0.043
	15.880	110105	0.000	0.084
	16.153	124989	0.000	0.095
	16.383	100505	0.000	0.076
	18.623	243321	0.000	0.185
Testosterone Propionate			0.000 BDL	
	21.393	2200107	0.000	1.674
	21.917	248799	0.000	0.189
Nandrolone phenylpropionate	23.043	68790852	0.000	52.334
	24.017	48801	0.000	0.037
Trenbolone enanthate			0.000 BDL	
	26.350	46422	0.000	0.035
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.700	59476590	0.000	45.248
Methenolone Enanthate			0.000 BDL	


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		131446722	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 01:30:01 Druckdatum: 14.11.2016 15:11:05
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	10.033	54836	0.000	0.042
	15.880	111350	0.000	0.085
	16.153	126021	0.000	0.096
	16.383	102212	0.000	0.078
	18.627	242430	0.000	0.184
Testosterone Propionate			0.000 BDL	
	21.393	2208605	0.000	1.676
	21.917	251319	0.000	0.191
Nandrolone phenylpropionate	23.043	68934662	0.000	52.315
	24.020	48875	0.000	0.037
Trenbolone enanthate			0.000 BDL	
	26.350	46747	0.000	0.035
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.700	59642563	0.000	45.263
Methenolone Enanthate			0.000 BDL	


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		131769620	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 02:23:23 Druckdatum: 14.11.2016 15:11:12
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	10.017	56354	0.000	0.043
	15.870	111927	0.000	0.085
	16.143	126701	0.000	0.096
	16.373	102349	0.000	0.077
	18.617	265971	0.000	0.201
Testosterone Propionate			0.000 BDL	
	21.387	2218895	0.000	1.679
	21.907	260657	0.000	0.197
Nandrolone phenylpropionate	23.037	69127398	0.000	52.314
	24.013	81276	0.000	0.062
Trenbolone enanthate			0.000 BDL	
	26.340	45973	0.000	0.035
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.690	59742433	0.000	45.211
Methenolone Enanthate			0.000 BDL	


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		132139934	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 03:16:46 Druckdatum: 14.11.2016 15:11:14
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	9.160	40643	0.000	0.031
	10.030	56145	0.000	0.043
	15.883	112157	0.000	0.085
	16.157	125518	0.000	0.095
	16.390	102263	0.000	0.077
	18.630	246083	0.000	0.186
Testosterone Propionate			0.000 BDL	
	21.400	2211311	0.000	1.675
	21.923	250745	0.000	0.190
Nandrolone phenylpropionate	23.050	69060417	0.000	52.315
Trenbolone enanthate	24.030	49641	0.000	0.038
	26.357	47484	0.000	0.036
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.707	59706968	0.000	45.229
Methenolone Enanthate			0.000 BDL	


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		132009375	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep4.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 04:10:07 Druckdatum: 14.11.2016 15:11:16
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	10.020	55202	0.000	0.042
	15.880	110852	0.000	0.084
	16.153	124429	0.000	0.095
	16.383	100980	0.000	0.077
	18.623	243060	0.000	0.185
Testosterone Propionate			0.000 BDL	
	21.397	2199944	0.000	1.675
	21.917	250548	0.000	0.191
Nandrolone phenylpropionate	23.047	68727693	0.000	52.325
Trenbolone enanthate	24.027	48360	0.000	0.037
	26.360	47327	0.000	0.036
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.710	59439365	0.000	45.253
Methenolone Enanthate			0.000 BDL	


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		131347760	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep5.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 05:03:26 Druckdatum: 14.11.2016 15:11:18
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	10.023	55853	0.000	0.042
	15.880	112453	0.000	0.085
	16.153	125271	0.000	0.095
	16.387	102659	0.000	0.078
	18.627	245098	0.000	0.186
Testosterone Propionate			0.000 BDL	
	21.400	2206562	0.000	1.672
	21.923	251253	0.000	0.190
Nandrolone phenylpropionate	23.053	69064044	0.000	52.334
Trenbolone enanthate	24.027	48080	0.000	0.036
	26.360	44960	0.000	0.034
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.710	59710756	0.000	45.247
Methenolone Enanthate			0.000 BDL	

Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		131966989	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep6.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met