

Anabolic Lab™

Analytical Lab Testing for
Anabolic Steroid Harm Reduction

<https://anaboliclab.com>

Lab Report – November 18, 2016

Dragon Pharma
NPP 150 (150 mg/mL)
Nandrolone Phenylpropionate



If you like the attached report, please visit [our website](https://anaboliclab.com) to find out how you can support independent and objective lab testing.



Simec AG

Gärtnereweg 4 B CH-4665 Oftringen
Telefon +41 62 752 83 08 Fax +41 62 752 83 09
E-Mail info@simec.ch www.simec.ch

Test report

Number **C 48766**

Object of analysis: Dragonpharma NPP 150

Customer: AnabolicLab.com

Samples: 1

Batch: OTU3HG

Receipt: 29.09.2016

Subject: Content, Identification Nandrolone Phenylpropionate

Method(s): HPLC, SOP M 006

Sample / Analysis:	Method	Status	Result	Specification	complies
<u>Nandrolone Phenylpropionate:</u>					
Identification	HPLC	N	complies	complies	yes
Content	HPLC	N	160.4 mg/mL	150 mg/mL	-
TAMC	SOP M 006	N	< 1 CFU/mL	-	-
TYMC	SOP M 006	N	< 1 CFU/mL	-	-

Method-status: G = GMP A = accredited V = generally validated P = validated on product N = not validated
E = external lab

Remarks: The sample(s) mentioned above have been analysed as they have been sent to us by the client. We have not controlled external processes like manufacturing, labelling, sampling, shipping, storage. These results are for information only and do not compensate for correct quality control by the manufacturer/distributor. Generally, pharmaceutical products have to be produced and distributed under full GMP/GDP regime, including GMP-compliant analyses with validated methods. It is not allowed to use this analysis in the context of doping/sports/competitions or any other illegal action, neither by the athlete nor by the tutor/trainer or any other person.

Signatures: controlled & released: 

Staff: 


completed:
18.11.2016
page 1 of 1

The enclosed results refer exclusively to the object of examination described above.
The measuring accuracy is available on request. Only handwritten signatures are valid.
Without written permission, it is not allowed to publish single parts of this report.

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 17.11.2016 04:05:06
 Vial: 58
 Probenidentifikation: C48766 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 135, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 18.11.2016 08:11:31
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.613	57811	0.000	0.067
	12.473	355105	0.000	0.413
	15.263	42050953	0.000	48.913
	17.313	64615	0.000	0.075
	18.917	45857	0.000	0.053
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate	23.220	42351895	0.000	49.263
Trenbolone enanthate	24.130	123470	0.000	0.144
	26.337	462119	0.000	0.538
Testosterone enanthate			0.000 BDL	
Testosterone Cypionate	29.667	102682	0.000	0.119
Methenolone Enanthate	30.857	170690	0.000	0.199
	33.903	72019	0.000	0.084
	34.977	114535	0.000	0.133

Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate


Totals		85971751	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\018_C48766 A-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 17.11.2016 04:58:32
 Vial: 58
 Probenidentifikation: C48766 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 135, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 18.11.2016 08:11:34
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.620	58862	0.000	0.068
	12.470	357073	0.000	0.414
	15.263	42161855	0.000	48.909
	17.310	63839	0.000	0.074
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate	23.217	42477785	0.000	49.275
Trenbolone enanthate	24.130	132330	0.000	0.154
	26.337	499962	0.000	0.580
Testosterone enanthate			0.000 BDL	
Testosterone Cypionate	29.673	102525	0.000	0.119
Methenolone Enanthate	30.850	172387	0.000	0.200
	33.893	65176	0.000	0.076
	34.980	113497	0.000	0.132
Nandrolone Decanoate			0.000 BDL	

Testosterone
decanoate

0.000 BDL


Totals		86205291	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\018_C48766 A-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 17.11.2016 05:51:51
 Vial: 58
 Probenidentifikation: C48766 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 135, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 18.11.2016 08:11:36
 Injektvolumen: 20



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	5.613	58153	0.000	0.067
	12.470	356934	0.000	0.413
	15.263	42255028	0.000	48.869
	17.310	65275	0.000	0.075
	18.920	47572	0.000	0.055
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate	23.223	42598230	0.000	49.266
Trenbolone enanthate	24.140	127304	0.000	0.147
	26.347	495537	0.000	0.573
Testosterone enanthate			0.000 BDL	
Testosterone Cypionate	29.683	104778	0.000	0.121
Methenolone Enanthate	30.857	169488	0.000	0.196
	33.900	69115	0.000	0.080
	34.993	118214	0.000	0.137

Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate


Totals		86465628	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\018_C48766 A-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 17.11.2016 06:45:10
 Vial: 59
 Probenidentifikation: C48766 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 135, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 18.11.2016 08:11:38
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.617	61484	0.000	0.068
	12.473	380928	0.000	0.422
	15.267	44119679	0.000	48.932
	17.313	68898	0.000	0.076
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate	23.223	44588021	0.000	49.452
Trenbolone enanthate	24.137	133385	0.000	0.148
	26.343	498471	0.000	0.553
Testosterone enanthate			0.000 BDL	
Testosterone Cypionate	29.677	108650	0.000	0.121
Methenolone Enanthate			0.000 BDL	
	33.900	79351	0.000	0.088
	34.993	125518	0.000	0.139
Nandrolone Decanoate			0.000 BDL	

Testosterone
decanoate

0.000 BDL


Totals		90164385	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\019_C48766 B-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 17.11.2016 07:38:34
 Vial: 59
 Probenidentifikation: C48766 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 135, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 18.11.2016 08:11:40
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.613	61492	0.000	0.068
	12.477	383195	0.000	0.422
	15.270	44311623	0.000	48.816
	17.317	69377	0.000	0.076
	18.927	47791	0.000	0.053
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate	23.230	44772319	0.000	49.324
Trenbolone enanthate	24.143	141264	0.000	0.156
	26.350	506644	0.000	0.558
Testosterone enanthate			0.000 BDL	
Testosterone Cypionate	29.680	110155	0.000	0.121
Methenolone Enanthate	30.867	172535	0.000	0.190
	33.910	73101	0.000	0.081
	35.000	122562	0.000	0.135

Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate


Totals		90772058	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\019_C48766 B-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 17.11.2016 08:31:55
 Vial: 59
 Probenidentifikation: C48766 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 135, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 18.11.2016 08:11:43
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.613	62711	0.000	0.069
	12.467	382034	0.000	0.420
	15.257	44412915	0.000	48.818
	17.307	67165	0.000	0.074
	18.913	48188	0.000	0.053
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate	23.217	44879821	0.000	49.331
Trenbolone enanthate	24.127	134079	0.000	0.147
	26.337	500469	0.000	0.550
Testosterone enanthate			0.000 BDL	
Testosterone Cypionate	29.667	112231	0.000	0.123
Methenolone Enanthate	30.847	172559	0.000	0.190
	33.907	77005	0.000	0.085
	34.990	127950	0.000	0.141


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		90977127	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\019_C48766 B-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 00:36:35 Druckdatum: 14.11.2016 15:11:03
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	10.023	56231	0.000	0.043
	15.880	110105	0.000	0.084
	16.153	124989	0.000	0.095
	16.383	100505	0.000	0.076
	18.623	243321	0.000	0.185
Testosterone Propionate			0.000 BDL	
	21.393	2200107	0.000	1.674
	21.917	248799	0.000	0.189
Nandrolone phenylpropionate	23.043	68790852	0.000	52.334
	24.017	48801	0.000	0.037
Trenbolone enanthate			0.000 BDL	
	26.350	46422	0.000	0.035
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.700	59476590	0.000	45.248
Methenolone Enanthate			0.000 BDL	


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		131446722	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 01:30:01 Druckdatum: 14.11.2016 15:11:05
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	10.033	54836	0.000	0.042
	15.880	111350	0.000	0.085
	16.153	126021	0.000	0.096
	16.383	102212	0.000	0.078
	18.627	242430	0.000	0.184
Testosterone Propionate			0.000 BDL	
	21.393	2208605	0.000	1.676
	21.917	251319	0.000	0.191
Nandrolone phenylpropionate	23.043	68934662	0.000	52.315
	24.020	48875	0.000	0.037
Trenbolone enanthate			0.000 BDL	
	26.350	46747	0.000	0.035
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.700	59642563	0.000	45.263
Methenolone Enanthate			0.000 BDL	


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		131769620	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 02:23:23 Druckdatum: 14.11.2016 15:11:12
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	10.017	56354	0.000	0.043
	15.870	111927	0.000	0.085
	16.143	126701	0.000	0.096
	16.373	102349	0.000	0.077
	18.617	265971	0.000	0.201
Testosterone Propionate			0.000 BDL	
	21.387	2218895	0.000	1.679
	21.907	260657	0.000	0.197
Nandrolone phenylpropionate	23.037	69127398	0.000	52.314
	24.013	81276	0.000	0.062
Trenbolone enanthate			0.000 BDL	
	26.340	45973	0.000	0.035
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.690	59742433	0.000	45.211
Methenolone Enanthate			0.000 BDL	


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		132139934	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 03:16:46 Druckdatum: 14.11.2016 15:11:14
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	9.160	40643	0.000	0.031
	10.030	56145	0.000	0.043
	15.883	112157	0.000	0.085
	16.157	125518	0.000	0.095
	16.390	102263	0.000	0.077
	18.630	246083	0.000	0.186
Testosterone Propionate			0.000 BDL	
	21.400	2211311	0.000	1.675
	21.923	250745	0.000	0.190
Nandrolone phenylpropionate	23.050	69060417	0.000	52.315
Trenbolone enanthate	24.030	49641	0.000	0.038
	26.357	47484	0.000	0.036
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.707	59706968	0.000	45.229
Methenolone Enanthate			0.000 BDL	


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		132009375	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep4.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 04:10:07 Druckdatum: 14.11.2016 15:11:16
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	10.020	55202	0.000	0.042
	15.880	110852	0.000	0.084
	16.153	124429	0.000	0.095
	16.383	100980	0.000	0.077
	18.623	243060	0.000	0.185
Testosterone Propionate			0.000 BDL	
	21.397	2199944	0.000	1.675
	21.917	250548	0.000	0.191
Nandrolone phenylpropionate	23.047	68727693	0.000	52.325
Trenbolone enanthate	24.027	48360	0.000	0.037
	26.360	47327	0.000	0.036
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.710	59439365	0.000	45.253
Methenolone Enanthate			0.000 BDL	


Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		131347760	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep5.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 10.11.2016 05:03:26 Druckdatum: 14.11.2016 15:11:18
 Vial: 3 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Phenylprop und Test Enanthate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	10.023	55853	0.000	0.042
	15.880	112453	0.000	0.085
	16.153	125271	0.000	0.095
	16.387	102659	0.000	0.078
	18.627	245098	0.000	0.186
Testosterone Propionate			0.000 BDL	
	21.400	2206562	0.000	1.672
	21.923	251253	0.000	0.190
Nandrolone phenylpropionate	23.053	69064044	0.000	52.334
Trenbolone enanthate	24.027	48080	0.000	0.036
	26.360	44960	0.000	0.034
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate	28.710	59710756	0.000	45.247
Methenolone Enanthate			0.000 BDL	

Nandrolone 0.000 BDL
Decanoate
Testosterone 0.000 BDL
decanoate

Totals		131966989	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\005_STD Nandrolone Phenylprop und Test Enanthate-Rep6.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met