

Anabolic Lab™

Analytical Lab Testing for
Anabolic Steroid Harm Reduction

<http://anaboliclab.com>

Lab Report – June 2, 2015

EuroChem Laboratories
EC Decaject Depot (250mg/ml)
Nandrolone Decanoate

If you like this report, please visit [our website](#) to find out
how you can support independent and objective lab testing.



Simec AG

Areal Bleiche West Postfach 413 CH - 4800 Zofingen
Telefon +41 62 752 83 08 Fax +41 62 752 83 09
E-Mail: info@simec.ch www.simec.ch

Test report

Number **C 31992**

Object of analysis: EC Decaject Depot

Customer: AnabolicLab.com

Samples: 1

Batch: Exp. 07/2016

Receipt: 05.05.2015

Subject: Assay, Identification

Method(s): HPLC

Sample / Analysis:	Method	Status	Result	Specification	complies
<u>Nandrolone Decanoate:</u>					
Identification	HPLC	N	complies	complies	yes
Content	HPLC	N	278.76 mg/ml	250 mg/mL	-

Method-status: G = GMP A = accredited V = generally validated P = validated on product N = not validated
E = external lab

Remarks: Version 2: Client name corrected.

Signatures:  controlled & released:

Staff: 

completed:

02.06.2015

page 1 of 1

The enclosed results refer exclusively to the object of examination described above.
The measuring accuracy is available on request. Only handwritten signatures are valid.
Without written permission, it is not allowed to publish single parts of this report.