Anabolic Lab

Analytical Lab Testing for Anabolic Steroid Harm Reduction

https://anaboliclab.com

Lab Report – October 31, 2016

Jintani Labs Boldenone Undecylenate (250 mg/mL) Boldenone Undecylenate



If you like the attached report, please visit <u>our website</u> to find out how you can support independent and objective lab testing.



Simec AG

Gärtnereiweg 4 B CH-4665 Oftringen

Test report

Number C 48762

Object of analysis:

Jintani Boldenone Undecylenate

Customer:

AnabolicLab.com

Samples: 1

Batch:

Receipt: 29.09.2016

Subject:

Content, Identification Boldenone Undecylenate

Method(s):

HPLC, SOP M 006

Sample / Analysis:	Method	Status	Result	Specification	complies
Boldenone Undecylenate:					
Identification Content	HPLC HPLC	N N	complies 156.6 mg/mL	complies	yes -
TAMC TYMC	SOP M 0		< 1 CFU/mL < 1 CFU/mL	1	-

Method-status:

G = GMP A = accreditated V = generally validated P = validated on product N = not validated

Remarks:

The sample(s) mentioned above have been analysed as they have been sent to us by the client. We have not controlled external processes like manufacturing, labelling, sampling, shipping, storage. These results are for information only and do not compensate for correct quality control by the manufacturer/distributor. Generally, pharmaceutical products have to be produced and distributed under full GMP/GDP regime, including GMP-compliant analyses with validated methods. It is not allowed to use this analysis in the context of doping/sports/competitions or any other illegal action, neither by the athlete nor by the tutor/trainer or any other person.

Signatures:

controlled & released:

completed:

31.10.2016

page 1 of 1

The enclosed results refer exclusively to the object of examination described above. The measuring accuracy is available on request. Only handwritten signatures are valid. Without written permission, it is not allowed to publish single parts of this report.

Simec AG Page 1 of 1 (49)

Druckdatum:

Injektvolumen:

31.10.2016 08:12:52

20

Report steroid analysis

HPLC: Nr.5

Analysendatum: 28.10.2016 09:28:32

Vial: 15

Probenidentifikation: C48762 A


Operator: zbe

Chrom.-Beding. ACN / Wasser, gradient

Temperatur: 40 °C

Säule Nr. 135, 250 x 4,6, C18

Detektion: UV 240nm



Channel A

UV Results Name	Time	Area	Amount	Area Percent
Boldenone undecylenate	15,120 32,613	64976561 41546144	0,000 0,000	60,998 39,002
Totals		106522705	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse

Steroide\020_C48762 A-Rep1.dat

Simec AG Page 1 of 1 (50)

Druckdatum:

Injektvolumen:

31.10.2016 08:12:56

Report steroid analysis

HPLC:

Nr.5

Analysendatum:

28.10.2016 10:22:00

Vial:

15

Probenidentifikation:

C48762 A

Operator:

zbe

Chrom.-Beding.

ACN / Wasser, gradient

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	15,117	64935414	0,000	60,906
Boldenone undecylenate	32,610	41679860	0,000	39,094
Totals				
		106615274	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse

Steroide\020_C48762 A-Rep2.dat

Methode:

Simec AG
Page 1 of 1 (51)

Druckdatum:

Injektvolumen:

31.10.2016 08:13:00

20

Report steroid analysis

HPLC:

Nr.5

Analysendatum:

28.10.2016 11:15:29

Vial:

15

Probenidentifikation:

C48762 A

Operator:

zbe

Chrom.-Beding.

ACN / Wasser, gradient

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



Channel A

UV	Resu	ts
----	------	----

Name	Time	Area	Amount	Area Percent
	15,110	64880741	0,000	60,928
Boldenone undecylenate	32,610	41606731	0,000	39,072
Totals		100107177	0.000	100.000
		106487472	0,000	100,000

Daten File:

C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse

Steroide\020_C48762 A-Rep3.dat

Methode:

Simec AG Page 1 of 1 (52)

Druckdatum:

Injektvolumen:

31.10.2016 08:13:04

20

Report steroid analysis

HPLC:

Nr.5

Analysendatum:

28.10.2016 12:08:59

Vial:

Probenidentifikation:

16

Operator:

C48762 B zbe

Chrom.-Beding.

ACN / Wasser, gradient

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	15,123	66893521	0,000	60,959
Boldenone undecylenate	32,630	42841541	0,000	39,041
Totals				
		109735062	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse

Steroide\021_C48762 B-Rep1.dat

Methode:

Simec AG Page 1 of 1 (53)

Druckdatum:

Injektvolumen:

31.10.2016 08:13:08

20

Report steroid analysis

HPLC:

Nr.5

Analysendatum:

28.10.2016 13:02:21

Vial:

16

Probenidentifikation:

C48762 B

Operator:

zbe

Chrom.-Beding.

ACN / Wasser, gradient

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



Channel A

UV Results Name	Time	Area	Amount	Area Percent
	15,120	66717829	0,000	60,822
Boldenone undecylenate	32,610	42975340	0,000	39,178
Totals				20.000
		109693169	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse

Steroide\021_C48762 B-Rep2.dat

Simec AG Page 1 of 1 (54)

Druckdatum:

Injektvolumen:

31.10.2016 08:13:12

20

Report steroid analysis

HPLC:

Nr.5

Analysendatum:

28.10.2016 13:55:47

Vial:

16

Probenidentifikation:

C48762 B

Operator:

zbe

Chrom.-Beding.

ACN / Wasser, gradient

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



Channel A

UV Results Name	Time	Area	Amount	Area Percent
Boldenone undecylenate	15,137 32,627	66692855 43073728	0,000 0,000	60,759 39,241
Totals		109766583	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse

Steroide\021_C48762 B-Rep3.dat

Methode:

Simec AG Page 1 of 1 (3)

Druckdatum:

Injektvolumen:

31.10.2016 08:09:41

20

Report steroid analysis

HPLC:

Nr.5

Analysendatum:

26.10.2016 16:30:21

Vial:

Probenidentifikation:

STD Boldenone Undecylenate

Operator:

zbe

Chrom.-Beding.

ACN / Wasser, gradient

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



Channel A

UV Results	
Name	

Name	Time	Area	Amount	Area Percent
	21,427	2589794	0,000	3,118
	21,697	1783017	0,000	2,147
Boldenone undecylenate	32,223	78680723	0,000	94,735
Totals				
		83053534	0,000	100,000

C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse

Steroide\003_STD Boldenone Undecylenate-Rep1.dat

Methode:

Simec AG Page 1 of 1 (4)

Druckdatum:

Injektvolumen:

31.10.2016 08:09:45

20

Report steroid analysis

HPLC:

Nr.5

Analysendatum:

26.10.2016 17:23:55

Vial:

2

Probenidentifikation:

STD Boldenone Undecylenate

Operator:

zbe

Chrom.-Beding.

ACN / Wasser, gradient

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



Channel A

UV Results Name	Time	Area	Amount	Area Percent
	21,477	2620604	0,000	3,148
	21,750	1773977	0,000	2,131
Boldenone undecylenate	32,357	78849917	0,000	94,721
Totals				
		83244498	0,000	100,000

Daten File:

C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse

Steroide\003_STD Boldenone Undecylenate-Rep2.dat

Methode:

Simec AG Page 1 of 1 (5)

Druckdatum:

Injektvolumen:

31.10.2016 08:09:49

20

Report steroid analysis

HPLC:

Analysendatum:

26.10.2016 18:17:20

Vial:

Probenidentifikation:

STD Boldenone Undecylenate

Operator:

Chrom.-Beding.

ACN / Wasser, gradient

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



Channel A

UV Results Name	Time	Area	Amount	Area Percent
	21,477	2641486	0,000	3,175
	21,747	1769464	0,000	2,127
Boldenone undecylenate	32,380	78784899	0,000	94,698
Totals				
		83195849	0,000	100,000

C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse

Steroide\003_STD Boldenone Undecylenate-Rep3.dat

Methode:

Simec AG Page 1 of 1 (6)

Druckdatum:

Injektvolumen:

31.10.2016 08:09:53

20

Report steroid analysis

HPLC:

Analysendatum:

26.10.2016 19:10:48

Vial:

Probenidentifikation: Operator:

Chrom.-Beding.

ACN / Wasser, gradient

STD Boldenone Undecylenate

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



Channel A

UV Results Name	Time	Area	Amount	Area Percent
	21,480	2668694	0,000	3,215
	21,750	1760192	0,000	2,120
Boldenone undecylenate	32,380	78580429	0,000	94,665
Totals				
		83009315	0,000	100,000

C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse

Steroide\003_STD Boldenone Undecylenate-Rep4.dat

Methode:

Simec AG Page 1 of 1 (7)

Druckdatum:

Injektvolumen:

31.10.2016 08:09:57

20

Report steroid analysis

HPLC:

Nr.5

Analysendatum:

26.10.2016 20:04:09

Vial:

vidi.

2

Probenidentifikation: Operator:

zbe

Chrom.-Beding.

ACN / Wasser, gradient

STD Boldenone Undecylenate

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



Channel A

UV Results Name	Time	Area	Amount	Area Percent
	21,473	2700648	0,000	3,237
	21,743	1749713	0,000	2,097
Boldenone undecylenate	32,330	78991959	0,000	94,667
Totals				
		83442320	0,000	100,000

Daten File:

C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse

Steroide\003_STD Boldenone Undecylenate-Rep5.dat

Methode:

Simec AG Page 1 of 1 (8)

Druckdatum:

Injektvolumen:

31.10.2016 08:10:01

20

Report steroid analysis

HPLC: Nr.5

Analysendatum: 26.10.2016 20:57:40

Vial:

Probenidentifikation:

STD Boldenone Undecylenate


Operator: zbe

Chrom.-Beding. ACN / Wasser, gradient

Temperatur: 40 °C

Säule Nr. 135, 250 x 4,6, C18

Detektion: UV 240nm



Channel A

UV Results Name	Time	Area	Amount	Area Percent
	21,487	2714303	0,000	3,263
	21,760	1732716	0,000	2,083
Boldenone undecylenate	32,343	78747651	0,000	94,655
Totals				
		83194670	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse

Steroide\003_STD Boldenone Undecylenate-Rep6.dat