

Anabolic Lab™

Analytical Lab Testing for
Anabolic Steroid Harm Reduction

<https://anaboliclab.com>

Lab Report – April 21, 2016

Med-Tech Solutions
Tren E (200mg/mL)
Trenbolone Enanthate



If you like the attached report, please visit [our website](https://anaboliclab.com) to find out how you can support independent and objective lab testing.



Simec AG

Areal Bleiche West Postfach 413 CH - 4800 Zofingen
Telefon +41 62 752 83 08 Fax +41 62 752 83 09
E-Mail: info@simec.ch www.simec.ch

Test report

Number **C 42368**

Object of analysis: Med-tech Tren E

Customer: AnabolicLab.com

Samples: 1

Batch: 0715

Receipt: 24.03.2016

Subject: Assay, Identification Trenbolone enanthate

Method(s): HPLC

Sample / Analysis:	Method	Status	Result	Specification	complies
<u>Trenbolone enanthate:</u>					
Identification	HPLC	N	complies	complies	yes
Content	HPLC	N	160.2 mg/mL	200 mg/mL	-
TAMC		N	< 1 cfu/mL	-	-
TYMC		N	< 1 cfu/mL	-	-

Method-status: G = GMP A = accredited V = generally validated P = validated on product N = not validated
E = external lab

Remarks: The sample(s) mentioned above have been analysed as they have been sent to us by the client. We have not controlled external processes like manufacturing, labelling, sampling, shipping, storage. These results are for information only and do not compensate for correct quality control by the manufacturer/distributor. Generally, pharmaceutical products have to be produced and distributed under full GMP/GDP regime, including GMP-compliant analyses with validated methods.

Signatures:  controlled & released:

Staff: 

completed:
21.04.2016


page 1 of 1

The enclosed results refer exclusively to the object of examination described above. The measuring accuracy is available on request. Only handwritten signatures are valid. Without written permission, it is not allowed to publish single parts of this report.

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 11.04.2016 14:26:06
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 121, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 12.04.2016 08:05:02
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Fluoxymesteron			0,000 BDL	
Trenbolone enanthate			0,000 BDL	

Totals				
--------	--	--	--	--

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\April 2016\Diverse Steroide\05,04,16\063_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 11.04.2016 15:19:33 Druckdatum: 12.04.2016 08:05:06
 Vial: 48 Injektvolumen: 20
 Probenidentifikation: STD Trenbolone enanthate neu
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 121, 250 x 4,6, C18
 Detektion: UV 240nm



Channel A


UV Results

Name	Time	Area	Amount	Area Percent
Fluoxymesteron			0,000 BDL	
Trenbolone enanthate	25,607	36232244	0,000	100,000
Totals		36232244	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\April 2016\Diverse
 Steroide\05,04,16\064_STD Trenbolone enanthate neu-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 11.04.2016 16:13:00 Druckdatum: 12.04.2016 08:05:10
 Vial: 48 Injektvolumen: 20
 Probenidentifikation: STD Trenbolone enanthate neu
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 121, 250 x 4,6, C18
 Detektion: UV 240nm



Channel A


UV Results				
Name	Time	Area	Amount	Area Percent
Fluoxymesteron			0,000 BDL	
Trenbolone enanthate	25,593	36323244	0,000	100,000
Totals		36323244	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\April 2016\Diverse Steroide\05,04,16\064_STD Trenbolone enanthate neu-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 11.04.2016 17:06:30
 Vial: 48
 Probenidentifikation: STD Trenbolone enathate neu
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 121, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 12.04.2016 08:05:14
 Injektvolumen: 20



Channel A


UV Results

Name	Time	Area	Amount	Area Percent
Fluoxymesteron			0,000 BDL	
Trenbolone enanthate	25,600	36161800	0,000	100,000
Totals		36161800	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\April 2016\Diverse Steroide\05,04,16\064_STD Trenbolone enathate neu-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 11.04.2016 17:59:56 Druckdatum: 12.04.2016 08:05:17
 Vial: 48 Injektvolumen: 20
 Probenidentifikation: STD Trenbolone enanthate neu
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 121, 250 x 4,6, C18
 Detektion: UV 240nm



Channel A


UV Results

Name	Time	Area	Amount	Area Percent
Fluoxymesteron			0,000 BDL	
Trenbolone enanthate	25,613	36339926	0,000	100,000
Totals		36339926	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\April 2016\Diverse
 Steroide\05,04,16\064_STD Trenbolone enanthate neu-Rep4.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 11.04.2016 18:53:25 Druckdatum: 12.04.2016 08:05:21
 Vial: 48 Injektvolumen: 20
 Probenidentifikation: STD Trenbolone enathate neu
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 121, 250 x 4,6, C18
 Detektion: UV 240nm



Channel A


UV Results

Name	Time	Area	Amount	Area Percent
Fluoxymesteron			0,000 BDL	
Trenbolone enanthate	25,640	36317340	0,000	100,000
Totals		36317340	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\April 2016\Diverse Steroide\05,04,16\064_STD Trenbolone enathate neu-Rep5.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 11.04.2016 19:46:49 Druckdatum: 12.04.2016 08:05:25
 Vial: 48 Injektvolumen: 20
 Probenidentifikation: STD Trenbolone enathate neu
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 121, 250 x 4,6, C18
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Fluoxymesteron			0,000 BDL	
Trenbolone enanthate	25,600	36105947	0,000	100,000
Totals		36105947	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\April 2016\Diverse Steroide\05,04,16\064_STD Trenbolone enathate neu-Rep6.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 11.04.2016 20:40:15
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding.: ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule: Nr. 121, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 12.04.2016 08:05:29
 Injektvolumen: 20



Channel A


UV Results

Name	Time	Area	Amount	Area Percent
Fluoxymesteron			0,000 BDL	
Trenbolone enanthate			0,000 BDL	
Totals				

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\April 2016\Diverse Steroide\05,04,16\065_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 12.04.2016 16:09:01 Druckdatum: 13.04.2016 08:09:30
 Vial: 1 Injektvolumen: 20
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 121, 250 x 4,6, C18
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Fluoxymesteron			0,000 BDL	
Trenbolone enanthate			0,000 BDL	
Totals				

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\April 2016\Diverse
 Steroide\12,04,16\001_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 12.04.2016 17:02:30
 Vial: 2
 Probenidentifikation: C42368 C
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 121, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 13.04.2016 08:09:34
 Injektvolumen: 20



Channel A


UV Results				
Name	Time	Area	Amount	Area Percent
Fluoxymesteron	15,997	81537472	0,000 BDL	76,747
	17,413	1157516	0,000	1,090
Trenbolone enanthate	26,323	23546443	0,000	22,163
Totals		106241431	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\April 2016\Diverse
 Steroide\12,04,16\002_C42368 C-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 12.04.2016 17:56:03
 Vial: 2
 Probenidentifikation: C42368 C
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 121, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 13.04.2016 08:09:38
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Fluoxymesteron	16,007	82070265	0,000 BDL	76,989
	17,423	1100299	0,000	1,032
Trenbolone enanthate	26,300	23429528	0,000	21,979
Totals		106600092	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\April 2016\Diverse Steroide\12,04,16\002_C42368 C-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 12.04.2016 18:49:32
 Vial: 2
 Probenidentifikation: C42368 C
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 121, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 13.04.2016 08:09:42
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Fluoxymesteron	16,003	82518914	0,000 BDL	76,961
	17,417	1108800	0,000	1,034
Trenbolone enanthate	26,280	23594578	0,000	22,005
Totals		107222292	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\April 2016\Diverse Steroide\12,04,16\002_C42368 C-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 12.04.2016 19:43:05
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 121, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 13.04.2016 08:09:46
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Fluoxymesteron			0,000 BDL	
Trenbolone enanthate			0,000 BDL	

Totals				
--------	--	--	--	--

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\April 2016\Diverse Steroide\12,04,16\003_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met