

Anabolic Lab™

Analytical Lab Testing for
Anabolic Steroid Harm Reduction

<https://anaboliclab.com>

Lab Report – November 17, 2016

Pharmacom Labs
PHARMA Prim 100 (100 mg/mL)
Methenolone Enanthate



If you like the attached report, please visit [our website](https://anaboliclab.com) to find out how you can support independent and objective lab testing.



Simec AG

Gärtnereweg 4 B CH-4665 Oftringen
Telefon +41 62 752 83 08 Fax +41 62 752 83 09
E-Mail: info@simec.ch www.simec.ch

Test report

Number **C 48770**

Object of analysis: **Pharmacom Prim 100**

Customer: **AnabolicLab.com**

Samples: **1**

Batch: **6z8yan9a2l**

Receipt: **29.09.2016**

Subject: **Content, Identification Methenolone enanthate**

Method(s): **HPLC, SOP M 006**

Sample / Analysis:	Method	Status	Result	Specification	complies
<u>Methenolone enanthate:</u>					
Identification	HPLC	N	complies	complies	yes
Content	HPLC	N	101.3 mg/mL	100 mg/mL	-
TAMC	SOP M 006	N	< 1 CFU/mL	-	-
TYMC	SOP M 006	N	< 1 CFU/mL	-	-

Method-status: G = GMP A = accredited V = generally validated P = validated on product N = not validated
E = external lab

Remarks: The sample(s) mentioned above have been analysed as they have been sent to us by the client. We have not controlled external processes like manufacturing, labelling, sampling, shipping, storage. These results are for information only and do not compensate for correct quality control by the manufacturer/distributor. Generally, pharmaceutical products have to be produced and distributed under full GMP/GDP regime, including GMP-compliant analyses with validated methods. It is not allowed to use this analysis in the context of doping/sports/competitions or any other illegal action, neither by the athlete nor by the tutor/trainer or any other person.

Signatures: **controlled & released:**

Staff:

completed:
17.11.2016


The enclosed results refer exclusively to the object of examination described above.
The measuring accuracy is available on request. Only handwritten signatures are valid.
Without written permission, it is not allowed to publish single parts of this report.

page 1 of 1

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 10:24:42
 Vial: 12
 Probenidentifikation: C48770 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:12:33
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.503	254482	0.000	0.152
	14.917	109499756	0.000	65.235
Testosterone Propionate			0.000 BDL	
	22.473	58115	0.000	0.035
Nandrolone phenylpropionate	22.853	125024	0.000	0.074
Trenbolone enanthate	26.007	40100	0.000	0.024
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.567	57875757	0.000	34.480
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals				
--------	--	--	--	--

167853234

0.000


100.000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\016_C48770 A-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 11:18:11
 Vial: 12
 Probenidentifikation: C48770 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:12:35
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.510	254549	0.000	0.152
Testosterone	14.917	109243005	0.000	65.215
Propionate			0.000 BDL	
	22.467	61146	0.000	0.037
Nandrolone phenylpropionate	22.850	125327	0.000	0.075
Trenbolone enanthate	26.003	41578	0.000	0.025
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.557	57786464	0.000	34.497
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals				
--------	--	--	--	--

		167512069		
--	--	-----------	--	--

			0.000	
--	--	--	-------	--


				100.000
--	--	--	--	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\016_C48770 A-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 12:11:37
 Vial: 12
 Probenidentifikation: C48770 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:12:37
 Injektvolumen: 20



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	5.510	254887	0.000	0.152
	14.920	109626300	0.000	65.263
Testosterone Propionate			0.000 BDL	
	22.467	60367	0.000	0.036
Nandrolone phenylpropionate	22.850	126381	0.000	0.075
Trenbolone enanthate	26.003	42290	0.000	0.025
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.557	57865389	0.000	34.449
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals				
--------	--	--	--	--

167975614

0.000


100.000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\016_C48770 A-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 13:04:56
 Vial: 13
 Probenidentifikation: C48770 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:12:39
 Injektvolumen: 20



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
	5.507	269430	0.000	0.153
	14.927	114423429	0.000	65.053
Testosterone Propionate			0.000 BDL	
	22.480	62558	0.000	0.036
Nandrolone phenylpropionate	22.860	132189	0.000	0.075
Trenbolone enanthate	26.020	42723	0.000	0.024
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.567	60961024	0.000	34.658
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals				
--------	--	--	--	--

		175891353		
--	--	-----------	--	--

			0.000	
--	--	--	-------	--


				100.000
--	--	--	--	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\017_C48770 B-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 13:58:18
 Vial: 13
 Probenidentifikation: C48770 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:12:42
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.503	268948	0.000	0.152
	14.917	114836176	0.000	65.035
Testosterone Propionate			0.000 BDL	
	22.467	64023	0.000	0.036
Nandrolone phenylpropionate	22.847	132982	0.000	0.075
Trenbolone enanthate	26.000	43908	0.000	0.025
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.547	61230569	0.000	34.676
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals				
--------	--	--	--	--

		176576606		
--	--	-----------	--	--

			0.000	
--	--	--	-------	--


				100.000
--	--	--	--	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\017_C48770 B-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 11.11.2016 14:51:45
 Vial: 13
 Probenidentifikation: C48770 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 14.11.2016 15:12:44
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.517	271441	0.000	0.154
	14.937	114857186	0.000	65.027
Testosterone Propionate			0.000 BDL	
	22.477	65374	0.000	0.037
Nandrolone phenylpropionate	22.853	133276	0.000	0.075
Trenbolone enanthate	26.013	44868	0.000	0.025
Testosterone Cypionate			0.000 BDL	
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.557	61258469	0.000	34.682
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate			0.000 BDL	

Totals				
--------	--	--	--	--

176630614


0.000

100.000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\017_C48770 B-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 19:16:12 Druckdatum: 14.11.2016 15:10:49
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.477	45555	0.000	0.036
Testosterone Cypionate	25.743	80888	0.000	0.063
	26.553	55725	0.000	0.044
	27.920	253596	0.000	0.198
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.570	64267191	0.000	50.215
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.490	63281182	0.000	49.445

Totals		127984137	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep1.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 20:09:36 Druckdatum: 14.11.2016 15:10:52
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.477	68138	0.000	0.053
Testosterone Cypionate	25.750	81426	0.000	0.063
Testosterone enanthate	26.560	56348	0.000	0.044
Testosterone enanthate	27.927	253466	0.000	0.198
Methenolone Enanthate	30.573	64274555	0.000	50.116
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.493	63518238	0.000	49.526

Totals		128252171	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep2.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 21:03:03 Druckdatum: 14.11.2016 15:10:54
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.483	67143	0.000	0.052
Testosterone Cypionate	26.560	56401	0.000	0.044
Testosterone enanthate	27.923	253951	0.000	0.198
Methenolone Enanthate	30.573	64424116	0.000	50.209
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.490	63428708	0.000	49.433

Totals		128312689	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 21:56:23 Druckdatum: 14.11.2016 15:10:56
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.487	68945	0.000	0.054
Testosterone Cypionate	25.757	83346	0.000	0.065
	26.563	57455	0.000	0.045
Testosterone enanthate	27.930	253119	0.000	0.197
			0.000 BDL	
Methenolone Enanthate	30.583	64432921	0.000	50.179
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.497	63510760	0.000	49.461

Totals		128406546	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep4.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 22:49:48 Druckdatum: 14.11.2016 15:10:58
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.483	68449	0.000	0.053
Testosterone Cypionate	25.753	83148	0.000	0.065
	26.563	57317	0.000	0.045
Testosterone enanthate	27.930	254243	0.000	0.198
			0.000 BDL	
Methenolone Enanthate	30.580	64330514	0.000	50.178
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.490	63410712	0.000	49.461

Totals		128204383	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep5.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 09.11.2016 23:43:15 Druckdatum: 14.11.2016 15:11:01
 Vial: 2 Injektvolumen: 20
 Probenidentifikation: STD Methenolone Enanthate und Test Decanoate
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 119, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Testosterone Propionate			0.000 BDL	
Nandrolone phenylpropionate			0.000 BDL	
Trenbolone enanthate	25.477	45338	0.000	0.035
Testosterone Cypionate	25.750	81309	0.000	0.064
	26.553	56818	0.000	0.044
	27.927	253048	0.000	0.198
Testosterone enanthate			0.000 BDL	
Methenolone Enanthate	30.573	64216498	0.000	50.189
Nandrolone Decanoate			0.000 BDL	
Testosterone decanoate	39.483	63297520	0.000	49.470

Totals		127950531	0.000	100.000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\November 2016\09-11-2016\Diverse
Steroide\004_STD Methenolone Enanthate und Test Decanoate-Rep6.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met