


Anabolic Lab™

Analytical Lab Testing for
Anabolic Steroid Harm Reduction

<https://anaboliclab.com>

Lab Report – October 18, 2016

Primo of the Gods
Nandrolone Decanoate (200 mg/mL)
Nandrolone Decanoate



If you like the attached report, please visit [our website](https://anaboliclab.com) to find out how you can support independent and objective lab testing.



Simec AG

Gärtnererweg 4 B CH-4665 Oftringen
Telefon +41 62 752 83 08 Fax +41 62 752 83 09
E-Mail: info@simec.ch www.simec.ch

Test report

Number **C 47302**

Object of analysis: Nandrolone Decanoate 200 mg/mL (Primo of the Gods)

Customer: AnabolicLab.com **Samples:** 1

Batch: - **Receipt:** 15.08.2016

Subject: Assay, Identification Nandrolone Decanoate

Method(s): HPLC, SOP M 006

Sample / Analysis:	Method	Status	Result	Specification	complies
<u>Nandrolone Decanoate:</u>					
Identification	HPLC	N	complies	complies	yes
Content	HPLC	N	207.6 mg/mL	200 mg/mL	-
TAMC	SOP M 006	N	< 1 CFU/mL	-	-
TYMC	SOP M 006	N	< 1 CFU/mL	-	-

Method-status: G = GMP A = accredited V = generally validated P = validated on product N = not validated
E = external lab

Remarks: The sample(s) mentioned above have been analysed as they have been sent to us by the client. We have not controlled external processes like manufacturing, labelling, sampling, shipping, storage. These results are for information only and do not compensate for correct quality control by the manufacturer/distributor. Generally, pharmaceutical products have to be produced and distributed under full GMP/GDP regime, including GMP-compliant analyses with validated methods.

Signatures:  **controlled & released:**  **Staff:**

completed:
18.10.2016


The enclosed results refer exclusively to the object of examination described above. The measuring accuracy is available on request. Only handwritten signatures are valid. Without written permission, it is not allowed to publish single parts of this report.

page 1 of 1

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 03.10.2016 19:28:26
 Vial: 57
 Probenidentifikation: C47302 A
 Operator: zbe
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 135, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 17.10.2016 12:01:37
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
	13,843	79421723	0,000	48,941
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate			0,000 BDL	
Nandrolone decanoate	36,073	82858589	0,000	51,059
Totals		162280312	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26
 Steroide\079_C47302 A-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 03.10.2016 20:21:57
 Vial: 57
 Probenidentifikation: C47302 A
 Operator: zbe
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 135, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 17.10.2016 12:01:41
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
	13,837	79249249	0,000	48,997
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate			0,000 BDL	
Nandrolone decanoate	36,080	82493909	0,000	51,003
Totals		161743158	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26
 Steroide\079_C47302 A-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 03.10.2016 21:15:18
 Vial: 57
 Probenidentifikation: C47302 A
 Operator: zbe
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 135, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 17.10.2016 12:01:45
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
	13,830	79377021	0,000	49,004
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate			0,000 BDL	
Nandrolone decanoate	36,077	82604640	0,000	50,996
Totals		161981661	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26
 Steroide\079_C47302 A-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 03.10.2016 22:08:47
 Vial: 58
 Probenidentifikation: C47302 B
 Operator: zbe
 Chrom.-Beding.: ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule: Nr. 135, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 17.10.2016 12:01:49
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
	13,817	80247383	0,000	48,963
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate			0,000 BDL	
Nandrolone decanoate	36,067	83645454	0,000	51,037
Totals		163892837	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26
 Steroide\080_C47302 B-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 03.10.2016 23:02:11
 Vial: 58
 Probenidentifikation: C47302 B
 Operator: zbe
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 135, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 17.10.2016 12:01:54
 Injektvolumen: 20



Channel A


UV Results				
Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
	13,810	80020563	0,000	48,900
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate			0,000 BDL	
Nandrolone decanoate	36,080	83620965	0,000	51,100
Totals		163641528	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26
 Steroide\080_C47302 B-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 03.10.2016 23:55:35
 Vial: 58
 Probenidentifikation: C47302 B
 Operator: zbe
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 135, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 17.10.2016 12:01:59
 Injektvolumen: 20



Channel A


UV Results				
Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
	13,800	80077742	0,000	48,972
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate			0,000 BDL	
Nandrolone decanoate	36,070	83438702	0,000	51,028
Totals		163516444	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26
 Steroide\080_C47302 B-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 04.10.2016 01:42:21
 Vial: 59
 Probenidentifikation: STD Nandrolone Decanoate
 Operator: zbe
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 135, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 17.10.2016 12:02:07
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate			0,000 BDL	
Nandrolone decanoate	36,067	98917820	0,000	100,000
Totals		98917820	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26 Steroide\082_STD Nandrolone Decanoate-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 04.10.2016 02:35:40
 Vial: 59
 Probenidentifikation: STD Nandrolone Decanoate
 Operator: zbe
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 135, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 17.10.2016 12:02:11
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate			0,000 BDL	
Nandrolone decanoate	36,063	98256996	0,000	100,000
Totals		98256996	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26 Steroide\082_STD Nandrolone Decanoate-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 04.10.2016 03:29:00
 Vial: 59
 Probenidentifikation: STD Nandrolone Decanoate
 Operator: zbe
 Chrom.-Beding.: ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule: Nr. 135, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 17.10.2016 12:02:16
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate			0,000 BDL	
Nandrolone decanoate	36,067	98007677	0,000	100,000
Totals		98007677	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26 Steroide\082_STD Nandrolone Decanoate-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 04.10.2016 04:22:21
 Vial: 59
 Probenidentifikation: STD Nandrolone Decanoate
 Operator: zbe
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 135, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 17.10.2016 12:02:20
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate			0,000 BDL	
Nandrolone decanoate	36,093	98750359	0,000	100,000
Totals		98750359	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26 Steroide\082_STD Nandrolone Decanoate-Rep4.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 04.10.2016 05:15:46
 Vial: 59
 Probenidentifikation: STD Nandrolone Decanoate
 Operator: zbe
 Chrom.-Beding.: ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule: Nr. 135, 250 x 4,6, C18
 Detektion: UV 240nm

Druckdatum: 17.10.2016 12:02:24
 Injektvolumen: 20



Channel A


UV Results

Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate			0,000 BDL	
Nandrolone decanoate	36,053	99106474	0,000	100,000
Totals		99106474	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26 Steroide\082_STD Nandrolone Decanoate-Rep5.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5
 Analysendatum: 04.10.2016 06:09:06 Druckdatum: 17.10.2016 12:02:29
 Vial: 59 Injektvolumen: 20
 Probenidentifikation: STD Nandrolone Decanoate
 Operator: zbe
 Chrom.-Beding. ACN / Wasser, gradient
 Temperatur: 40 °C
 Säule Nr. 135, 250 x 4,6, C18
 Detektion: UV 240nm



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
Testosterone			0,000 BDL	
Nandrolone Phenylpropionate			0,000 BDL	
Testosterone enanthate			0,000 BDL	
Testosterone cypionate			0,000 BDL	
Methenolone enanthate			0,000 BDL	
Nandrolone decanoate	36,047	98799032	0,000	100,000
Totals		98799032	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26 Steroide\082_STD Nandrolone Decanoate-Rep6.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met