

# Anabolic Lab™

Analytical Lab Testing for  
Anabolic Steroid Harm Reduction

<https://anaboliclab.com>

Lab Report – October 31, 2016

SP Laboratories  
Equipoise (Boldenona E) (200 mg/mL)  
Boldenone Undecylenate



If you like the attached report, please visit [our website](https://anaboliclab.com) to find out how you can support independent and objective lab testing.



Simec AG

Gärtnereweg 4 B CH-4665 Oltringen  
Telefon +41 62 752 83 08 Fax +41 62 752 83 09  
E-Mail: info@simec.ch www.simec.ch

# Test report

Number **C 47825**

Object of analysis: SP Laboratories Equipoise

Customer: AnabolicLab.com

Samples: 1

Batch: 001

Receipt: 30.08.2016

Subject: Assay, Identification Boldenone Undecylenate

Method(s): HPLC, SOP M 006

Sample / Analysis:	Method	Status	Result	Specification	complies
<b><u>Boldenone Undecylenate:</u></b>					
Identification	HPLC	N	complies	complies	yes
Content	HPLC	N	210.7 mg/mL	200 mg/mL	-
TAMC	SOP M 006	N	< 10 cfu/g	-	-
TYMC	SOP M 006	N	< 10 cfu/g	-	-

Method-status: G = GMP A = accredited V = generally validated P = validated on product N = not validated  
E = external lab

**Remarks:** The sample(s) mentioned above have been analysed as they have been sent to us by the client. We have not controlled external processes like manufacturing, labelling, sampling, shipping, storage. These results are for information only and do not compensate for correct quality control by the manufacturer/distributor. Generally, pharmaceutical products have to be produced and distributed under full GMP/GDP regime, including GMP-compliant analyses with validated methods. It is not allowed to use this analysis in the context of doping/sports/competitions or any other illegal action, neither by the athlete nor by the tutor/trainer or any other person.

**Signatures:** controlled & released:

**Staff:**

completed:

31.10.2016


The enclosed results refer exclusively to the object of examination described above. The measuring accuracy is available on request. Only handwritten signatures are valid. Without written permission, it is not allowed to publish single parts of this report.

page 1 of 1

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 27.10.2016 15:39:53  
 Vial: 9  
 Probenidentifikation: C47825 A  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 31.10.2016 08:11:29  
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
	14,937	33553560	0,000	25,262
Boldenone undecylenate	32,390	99270467	0,000	74,738
<b>Totals</b>		<b>132824027</b>	<b>0,000</b>	<b>100,000</b>

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse Steroide\012\_C47825 A-Rep1.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

## Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 27.10.2016 16:33:21  
 Vial: 9  
 Probenidentifikation: C47825 A  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 31.10.2016 08:11:33  
 Injektvolumen: 20



## Channel A

### UV Results

Name	Time	Area	Amount	Area Percent
	14,983	33622837	0,000	25,234
Boldenone undecylenate	32,420	99622642	0,000	74,766


Totals		133245479	0,000	100,000
--------	--	-----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse Steroide\012\_C47825 A-Rep2.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 27.10.2016 17:26:50  
 Vial: 9  
 Probenidentifikation: C47825 A  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 31.10.2016 08:11:37  
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	15,010	33678470	0,000	25,260
Boldenone undecylenate	32,437	99650507	0,000	74,740

Totals		133328977	0,000	100,000
--------	--	-----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse Steroide\012\_C47825 A-Rep3.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met



Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 27.10.2016 18:20:08  
 Vial: 10  
 Probenidentifikation: C47825 B  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 31.10.2016 08:11:41  
 Injektvolumen: 20



Channel A


UV Results				
Name	Time	Area	Amount	Area Percent
Boldenone undecylenate	15,023	31744559	0,000	25,235
	32,460	94051525	0,000	74,765
Totals		125796084	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse Steroide\013\_C47825 B-Rep1.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 27.10.2016 19:13:32  
 Vial: 10  
 Probenidentifikation: C47825 B  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 31.10.2016 08:11:46  
 Injektvolumen: 20



Channel A


UV Results				
Name	Time	Area	Amount	Area Percent
	15,047	31729746	0,000	25,279
Boldenone undecylenate	32,477	93787288	0,000	74,721
Totals		125517034	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse Steroide\013\_C47825 B-Rep2.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 27.10.2016 20:06:54  
 Vial: 10  
 Probenidentifikation: C47825 B  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 31.10.2016 08:11:50  
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	15,047	31937558	0,000	25,343
Boldenone undecylenate	32,473	94082453	0,000	74,657
Totals		126020011	0,000	100,000


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse Steroide\013\_C47825 B-Rep3.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met



Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 26.10.2016 16:30:21  
 Vial: 2  
 Probenidentifikation: STD Boldenone Undecylenate  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 31.10.2016 08:09:41  
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
	21,427	2589794	0,000	3,118
	21,697	1783017	0,000	2,147
Boldenone undecylenate	32,223	78680723	0,000	94,735
Totals		83053534	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse Steroide\003\_STD Boldenone Undecylenate-Rep1.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 26.10.2016 17:23:55  
 Vial: 2  
 Probenidentifikation: STD Boldenone Undecylenate  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 31.10.2016 08:09:45  
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
	21,477	2620604	0,000	3,148
	21,750	1773977	0,000	2,131
Boldenone undecylenate	32,357	78849917	0,000	94,721
Totals		83244498	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse Steroide\003\_STD Boldenone Undecylenate-Rep2.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 26.10.2016 18:17:20  
 Vial: 2  
 Probenidentifikation: STD Boldenone Undecylenate  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 31.10.2016 08:09:49  
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
	21,477	2641486	0,000	3,175
	21,747	1769464	0,000	2,127
Boldenone undecylenate	32,380	78784899	0,000	94,698
Totals		83195849	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse Steroide\003\_STD Boldenone Undecylenate-Rep3.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 26.10.2016 19:10:48  
 Vial: 2  
 Probenidentifikation: STD Boldenone Undecylenate  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 31.10.2016 08:09:53  
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
	21,480	2668694	0,000	3,215
	21,750	1760192	0,000	2,120
Boldenone undecylenate	32,380	78580429	0,000	94,665
Totals		83009315	0,000	100,000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse Steroide\003\_STD Boldenone Undecylenate-Rep4.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 26.10.2016 20:04:09  
 Vial: 2  
 Probenidentifikation: STD Boldenone Undecylenate  
 Operator: zbe  
 Chrom.-Beding. ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 31.10.2016 08:09:57  
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	21,473	2700648	0,000	3,237
	21,743	1749713	0,000	2,097
Boldenone undecylenate	32,330	78991959	0,000	94,667

Totals		83442320	0,000	100,000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse Steroide\003\_STD Boldenone Undecylenate-Rep5.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met



Report steroid analysis

HPLC: Nr.5  
 Analysendatum: 26.10.2016 20:57:40  
 Vial: 2  
 Probenidentifikation: STD Boldenone Undecylenate  
 Operator: zbe  
 Chrom.-Beding.: ACN / Wasser, gradient  
 Temperatur: 40 °C  
 Säule: Nr. 135, 250 x 4,6, C18  
 Detektion: UV 240nm

Druckdatum: 31.10.2016 08:10:01  
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	21,487	2714303	0,000	3,263
	21,760	1732716	0,000	2,083
Boldenone undecylenate	32,343	78747651	0,000	94,655

Totals		83194670	0,000	100,000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\Oktober 2016\26,10,16\Diverse Steroide\003\_STD Boldenone Undecylenate-Rep6.dat  
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met