

Anabolic Lab™

Analytical Lab Testing for
Anabolic Steroid Harm Reduction

<http://anaboliclab.com>

Lab Report Raw Data – January 21, 2016

Trenbolone Acetate

C38086	AM Tech Trenam Acetate
C38087	Dragon Pharma Trenbolone 100
C38088	Gen-Shi Tren-A 500
C38089	Geneza GP Tren Acetate 100
C38090	Jintani Labs Trenbolone Acetate
C38091	Pharmacom PHARMA Tren A 100
C38092	Sciroxx Trenadex Acetate 100
C38093	Shree Venkatesh Trebol 100
C38094	Kalpa Trenoxyl Acetate 100
C38095	Vermodje Trenaver


If you like this report, please visit [our website](#) to find out how you can support independent and objective lab testing.

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 20.12.2015 14:10:56
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:37:18
 Injektvolumen: 20

S.13
 18.12.15
 27



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	16.770	1388220	0.000 BDL 0.000	100.000

Totals		1388220	0.000	100.000
--------	--	---------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse
 Steroide\15.12.15\058_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 20.12.2015 15:04:14
 Vial: 38
 Probenidentifikation: STD Trenbolone Acetat
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:37:20
 Injektvolumen: 20

S. 114
25.12.15
200



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.757	21293226	0.000	93.911
	16.777	1380643	0.000	6.089


Totals		22673869	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\059_STD Trenbolone Acetat-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 20.12.2015 15:57:42 Druckdatum: 23.12.2015 08:37:22
 Vial: 38 Injektvolumen: 20
 Probenidentifikation: STD Trenbolone Acetat
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

SIF
 20.12.15
 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.763	21400828	0.000	93.885
	16.773	1393977	0.000	6.115


Totals		22794805	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse
 Steroide\15.12.15\059_STD Trenbolone Acetat-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 20.12.2015 16:51:03 Druckdatum: 23.12.2015 08:37:24
 Vial: 38 Injektvolumen: 20
 Probenidentifikation: STD Trenbolone Acetat
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

2.16
 20.12.15
 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.760	21622777	0.000	93.913
	16.783	1401557	0.000	6.087


Totals		23024334	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\059_STD Trenbolone Acetat-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 20.12.2015 17:44:22 Druckdatum: 23.12.2015 08:37:26
 Vial: 38 Injektvolumen: 20
 Probenidentifikation: STD Trenbolone Acetat
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Sif
 28.12.15
 370



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.763	21340652	0.000	94.424
	16.783	1260186	0.000	5.576


Totals		22600838	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\059_STD Trenbolone Acetat-Rep4.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 20.12.2015 18:37:44 Druckdatum: 23.12.2015 08:37:28
 Vial: 38 Injektvolumen: 20
 Probenidentifikation: STD Trenbolone Acetat
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

S. 18
 28-12-15
 200



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.767	21484707	0.000	94.023
	16.780	1365849	0.000	5.977

Totals		22850556	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\059_STD Trenbolone Acetat-Rep5.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 20.12.2015 19:31:05
 Vial: 38
 Probenidentifikation: STD Trenbolone Acetat
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:37:30
 Injektvolumen: 20

S15
 28.12.15
 20-



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.767	21485733	0.000	94.337
	16.787	1289706	0.000	5.663


Totals		22775439	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\059_STD Trenbolone Acetat-Rep6.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 20.12.2015 20:24:26 Druckdatum: 23.12.2015 08:37:32
 Vial: 1 Injektvolumen: 20
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

5.20
 15.12.15
 BW



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	16.787	1389152	0.000 BDL 0.000	100.000
Totals		1389152	0.000	100.000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\060_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

S.21
25.12.15
B.10

Report steroid analysis

HPLC:	Nr. 6	Druckdatum:	23.12.2015 08:37:34
Analysendatum:	20.12.2015 21:17:48	Injektvolumen:	20
Vial:	39		
Probenidentifikation:	C38086 A		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 121, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.773	15256910	0.000	20.138
	16.787	60506657	0.000	79.862


Totals		75763567	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\061_C38086 A-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

2.22
28-12-15
Gru

HPLC: Nr. 6
 Analysendatum: 20.12.2015 22:11:07 Druckdatum: 23.12.2015 08:37:36
 Vial: 39 Injektvolumen: 20
 Probenidentifikation: C38086 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.767	15176029	0.000	20.101
	16.780	60321535	0.000	79.899


Totals		75497564	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\061_C38086 A-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 20.12.2015 23:04:31 Druckdatum: 23.12.2015 08:37:38
 Vial: 39 Injektvolumen: 20
 Probenidentifikation: C38086 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

23
 20.12.15
 BV



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.777	15342896	0.000	20.157
	16.787	60775825	0.000	79.843

Totals		76118721	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse
 Steroide\15.12.15\061_C38086 A-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

*J.24
28.12.15
E92*

HPLC: Nr. 6
 Analysendatum: 20.12.2015 23:57:51
 Vial: 40
 Probenidentifikation: C38086 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:37:40
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.770	14677276	0.000	19.981
	16.783	58777529	0.000	80.019
Totals		73454805	0.000	100.000


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\062_C38086 B-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 21.12.2015 00:51:11
 Vial: 40
 Probenidentifikation: C38086 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:37:42
 Injektvolumen: 20

*S 25
 25.12.15
 200*



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.773	14775647	0.000	20.004
	16.787	59088814	0.000	79.996

Totals		73864461	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\062_C38086 B-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 21.12.2015 01:44:34
 Vial: 40
 Probenidentifikation: C38086 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:37:44
 Injektvolumen: 20

*1.26
 28.12.15
 BY*



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.780	14903870	0.000	20.050
	16.790	59431279	0.000	79.950
Totals		74335149	0.000	100.000


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\062_C38086 B-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

*S 27
23.12.15
Zuv*

HPLC: Nr. 6
 Analysendatum: 21.12.2015 02:38:01
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:37:46
 Injektvolumen: 20



Channel A


UV Results				
Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	16.793	1383724	0.000 BDL 0.000	100.000
Totals		1383724	0.000	100.000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\063_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

*5.28
25.12.15
[Signature]*

HPLC:	Nr. 6	Druckdatum:	23.12.2015 08:37:48
Analysendatum:	21.12.2015 03:31:21	Injektvolumen:	20
Vial:	41		
Probenidentifikation:	C38087 A		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 121, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.580	407263	0.000	0.579
Trenbolone Acetat	14.780	16982638	0.000	24.136
	16.797	52972102	0.000	75.285

Totals		70362003	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\064_C38087 A-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 21.12.2015 04:24:44
 Vial: 41
 Probenidentifikation: C38087 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:37:51
 Injektvolumen: 20

S. 23
 20.12.15
 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.580	413120	0.000	0.580
Trenbolone Acetat	14.780	17226714	0.000	24.190
	16.797	53573061	0.000	75.229

Totals		71212895	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\064_C38087 A-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

S30
28.12.15
622

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 21.12.2015 05:18:07
 Vial: 41
 Probenidentifikation: C38087 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:37:52
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.580	414648	0.000	0.581
Trenbolone Acetat	14.777	17261493	0.000	24.188
	16.793	53687219	0.000	75.231

Totals		71363360	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\064_C38087 A-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 21.12.2015 06:11:25
 Vial: 42
 Probenidentifikation: C38087 B
 Operator: admin
 Chrom.-Beding.: ACN / Wasser, gradient
 Säule: Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:37:55
 Injektvolumen: 20

S. 31
 25.12.15
 601



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.577	400800	0.000	0.573
Trenbolone Acetat	14.783	16871093	0.000	24.136
	16.800	52628619	0.000	75.291

Totals		69900512	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\065_C38087 B-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 21.12.2015 07:04:54
 Vial: 42
 Probenidentifikation: C38087 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:37:57
 Injektvolumen: 20

S 32
 28.12.15
 EJJ



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.590	405488	0.000	0.575
Trenbolone Acetat	14.797	17073583	0.000	24.204
	16.810	53060315	0.000	75.221


Totals		70539386	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\065_C38087 B-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

S.33
23.12.15
BWS

Report steroid analysis

HPLC:	Nr. 6	Druckdatum:	23.12.2015 08:37:59
Analysendatum:	21.12.2015 07:58:13	Injektvolumen:	20
Vial:	42		
Probenidentifikation:	C38087 B		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 121, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
	5.580	408486	0.000	0.576
Trenbolone Acetat	14.787	17179124	0.000	24.209
	16.803	53374536	0.000	75.216

Totals		70962146	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\065_C38087 B-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 21.12.2015 08:51:42
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:38:01
 Injektvolumen: 20

S 34
 28.12.15
 200



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	16.800	1379645	0.000 BDL 0.000	100.000

Totals		1379645	0.000	100.000
--------	--	---------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\066_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

2.35
20.12.15
LW

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 21.12.2015 09:45:05
 Vial: 43
 Probenidentifikation: C38088 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:38:03
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.800	15538815	0.000	20.627
	16.813	59794098	0.000	79.373

Totals		75332913	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse
 Steroide\15.12.15\067_C38088 A-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

S36
25.12.15
LW

HPLC: Nr. 6
 Analysendatum: 21.12.2015 10:38:26
 Vial: 43
 Probenidentifikation: C38088 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:38:05
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.797	15838083	0.000	20.662
	16.810	60816066	0.000	79.338

Totals		76654149	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\067_C38088 A-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 21.12.2015 11:31:47
 Vial: 43
 Probenidentifikation: C38088 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:38:06
 Injektvolumen: 20

*Sjt
 28.11.15
 BAV*



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.803	15852934	0.000	20.687
	16.817	60779692	0.000	79.313

Totals		76632626	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\067_C38088 A-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

S.38
28.12.15
BV

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 21.12.2015 12:25:10
 Vial: 44
 Probenidentifikation: C38088 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:38:08
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.807	15863248	0.000	20.680
	16.820	60843614	0.000	79.320
Totals		76706862	0.000	100.000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\068_C38088 B-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

2.34
28.12.15
1600

HPLC: Nr. 6
 Analysendatum: 21.12.2015 13:18:37 Druckdatum: 23.12.2015 08:38:10
 Vial: 44 Injektvolumen: 20
 Probenidentifikation: C38088 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.813	16072675	0.000	20.737
	16.827	61433283	0.000	79.263

Totals		77505958	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse
 Steroide\15.12.15\068_C38088 B-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

S. 46
28.12.15
200

HPLC: Nr. 6
 Analysendatum: 21.12.2015 14:11:58
 Vial: 44
 Probenidentifikation: C38088 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:38:12
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.807	15998434	0.000	20.728
	16.820	61182590	0.000	79.272

Totals		77181024	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\068_C38088 B-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 21.12.2015 15:05:19
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding.: ACN / Wasser, gradient
 Säule: Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:38:14
 Injektvolumen: 20

*3.41
 23.12.15
 200*



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	16.817	1411793	0.000 BDL 0.000	100.000
Totals		1411793	0.000	100.000


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\069_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 21.12.2015 15:58:44
 Vial: 45
 Probenidentifikation: C38089 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:38:16
 Injektvolumen: 20

0.42
 28.12.15
 200



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.813	17330737	0.000	19.180
	16.823	72522614	0.000	80.261
	43.697	505053	0.000	0.559

Totals		90358404	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\070_C38089 A-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 21.12.2015 16:52:08
 Vial: 45
 Probenidentifikation: C38089 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:38:18
 Injektvolumen: 20

543
25.12.15
608



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.813	17464804	0.000	19.194
	16.820	73010668	0.000	80.240
	43.700	514648	0.000	0.566


Totals		90990120	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\070_C38089 A-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

5.44
28.12.15
200

HPLC: Nr. 6
 Analysendatum: 21.12.2015 17:45:27 Druckdatum: 23.12.2015 08:38:20
 Vial: 45 Injektvolumen: 20
 Probenidentifikation: C38089 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.813	17476337	0.000	19.171
	16.823	73165351	0.000	80.261
	43.707	517203	0.000	0.567

Totals		91158891	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\070_C38089 A-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

SM
28.12.15
200

HPLC: Nr. 6
 Analysendatum: 21.12.2015 18:38:52
 Vial: 46
 Probenidentifikation: C38089 B
 Operator: admin
 Chrom.-Beding.: ACN / Wasser, gradient
 Säule: Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:38:23
 Injektvolumen: 20



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.820	15884808	0.000	18.860
	16.830	67878550	0.000	80.592
	43.707	461817	0.000	0.548
Totals		84225175	0.000	100.000


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\071_C38089 B-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 21.12.2015 19:32:12
 Vial: 46
 Probenidentifikation: C38089 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:38:25
 Injektvolumen: 20

346
 25.12.15
 600



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.817	16201557	0.000	18.915
	16.827	68978565	0.000	80.532
	43.717	473940	0.000	0.553
Totals		85654062	0.000	100.000


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\071_C38089 B-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

*S.47
28.12.15
600*

HPLC: Nr. 6
 Analysendatum: 21.12.2015 20:25:35
 Vial: 46
 Probenidentifikation: C38089 B
 Operator: admin
 Chrom.-Beding.: ACN / Wasser, gradient
 Säule: Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:38:27
 Injektvolumen: 20



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.827	16196132	0.000	18.926
	16.837	68905064	0.000	80.519
	43.720	475144	0.000	0.555
Totals		85576340	0.000	100.000


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\071_C38089 B-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

3.48
25.12.15
BDD

HPLC: Nr. 6
 Analysendatum: 21.12.2015 21:19:01
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:38:29
 Injektvolumen: 20



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	16.817	1257868	0.000 BDL 0.000	100.000
Totals		1257868	0.000	100.000


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\072_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 22.12.2015 08:30:54
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:39:04
 Injektvolumen: 20

S. 49
 28-12-15
 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat			0.000 BDL	
	16.937	489691	0.000	18.851
	17.250	2107968	0.000	81.149
Totals		2597659	0.000	100.000


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\079_Blank-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 22.12.2015 09:24:16
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:39:06
 Injektvolumen: 20

S. 50
 23.12.15
 208



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	16.880	1909346	0.000 BDL 0.000	100.000


Totals		1909346	0.000	100.000
--------	--	---------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\079_Blank-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

2 M
20.12.15
ZAU

HPLC: Nr. 6
 Analysendatum: 22.12.2015 10:17:40 Druckdatum: 23.12.2015 08:39:08
 Vial: 47 Injektvolumen: 20
 Probenidentifikation: C38090 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.640	16413729	0.000	20.661
	16.627	63031064	0.000	79.339


Totals		79444793	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\080_C38090 A-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

2.52
18.12.15
bzw

HPLC:	Nr. 6	Druckdatum:	23.12.2015 08:39:10
Analysendatum:	22.12.2015 11:11:00	Injektvolumen:	20
Vial:	47		
Probenidentifikation:	C38090 A		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 121, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.617	16462234	0.000	20.352
	16.610	64423907	0.000	79.648

Totals		80886141	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\080_C38090 A-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

2.13
25.12.15
EAV

HPLC: Nr. 6
 Analysendatum: 22.12.2015 12:04:20
 Vial: 47
 Probenidentifikation: C38090 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:39:12
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.627	16507116	0.000	20.687
	16.620	63289109	0.000	79.313

Totals		79796225	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\080_C38090 A-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 22.12.2015 12:57:37
 Vial: 48
 Probenidentifikation: C38090 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:39:14
 Injektvolumen: 20

3.54
 15.12.15
 208



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.620	18108689	0.000	20.966
	16.617	68263878	0.000	79.034

Totals		86372567	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\081_C38090 B-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

S.TT
25.12.15
BAS

HPLC: Nr. 6
 Analysendatum: 22.12.2015 13:51:01
 Vial: 48
 Probenidentifikation: C38090 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 23.12.2015 08:39:16
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.633	18239696	0.000	20.999
	16.627	68620147	0.000	79.001

Totals		86859843	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\081_C38090 B-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
Analysendatum: 22.12.2015 14:44:20
Vial: 48
Probenidentifikation: C38090 B
Operator: admin
Chrom.-Beding.: ACN / Wasser, gradient
Säule: Nr. 121, 100-5 C18 250 x 4.6 mm
Detektion: UV 240nm

Druckdatum: 23.12.2015 08:39:18
Injektvolumen: 20

S.FG
28.12.15
BOL



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.630	18033119	0.000	20.966
	16.627	67977314	0.000	79.034


Totals		86010433	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\081_C38090 B-Rep3.dat
Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

*2.17
22.12.15
200*

HPLC:	Nr. 6	Druckdatum:	24.12.2015 08:35:04
Analysendatum:	22.12.2015 20:28:36	Injektvolumen:	20
Vial:	1		
Probenidentifikation:	Blank		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 121, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	17.127	2746786	0.000 BDL 0.000	100.000

Totals		2746786	0.000	100.000
--------	--	---------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\085_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

S. FS
28.12.15
EAD

HPLC: Nr. 6
 Analysendatum: 22.12.2015 20:28:36
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:36:44
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	17.127	2746786	0.000 BDL 0.000	100.000

Totals		2746786	0.000	100.000
--------	--	---------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\085_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

*S. 59
28.11.15
EWS*

HPLC: Nr. 6
 Analysendatum: 22.12.2015 21:22:02
 Vial: 49
 Probenidentifikation: C38091 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:36:46
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.673	17164059	0.000	27.254
	16.643	45813103	0.000	72.746

Totals		62977162	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\086_C38091 A-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

*5.60
28.12.15
EDG*

HPLC: Nr. 6
 Analysendatum: 22.12.2015 22:15:22
 Vial: 49
 Probenidentifikation: C38091 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:36:48
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.653	17303749	0.000	27.278
	16.637	46130089	0.000	72.722

Totals		63433838	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\086_C38091 A-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

3.61
28.12.15
BOU

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 22.12.2015 23:08:43
 Vial: 49
 Probenidentifikation: C38091 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:36:50
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.660	17255654	0.000	27.276
	16.643	46008398	0.000	72.724
Totals		63264052	0.000	100.000


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\086_C38091 A-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

3.02
28.12.15
BNU

HPLC: Nr. 6
 Analysendatum: 23.12.2015 00:02:00
 Vial: 50
 Probenidentifikation: C38091 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:36:52
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.647	18146987	0.000	27.404
	16.630	48073187	0.000	72.596


Totals		66220174	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\087_C38091 B-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 00:55:17 Druckdatum: 24.12.2015 08:36:54
 Vial: 50 Injektvolumen: 20
 Probenidentifikation: C38091 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

2.63
 28.12.15
 200



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.650	18130872	0.000	27.425
	16.633	47979004	0.000	72.575

Totals		66109876	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\087_C38091 B-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 01:48:45
 Vial: 50
 Probenidentifikation: C38091 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:36:56
 Injektvolumen: 20

*5.64
 28.12.15
 EAU*



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.657	18111847	0.000	27.441
	16.630	47890099	0.000	72.559

Totals		66001946	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\087_C38091 B-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 02:42:10
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:36:58
 Injektvolumen: 20

3.65
 25.12.15
 604



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	16.670	1375001	0.000 BDL 0.000	100.000

Totals		1375001	0.000	100.000
--------	--	---------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\088_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 03:35:37
 Vial: 51
 Probenidentifikation: STD Trenbolone Acetat 2
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:00
 Injektvolumen: 20

*S.66
 28.12.15
 BAV*



Channel A

UV Results				
Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.660	22374425	0.000	94.588
	16.680	1280066	0.000	5.412
Totals		23654491	0.000	100.000


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\089_STD Trenbolone Acetat 2-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

S.G.
28.12.15
bpc

HPLC: Nr. 6
 Analysendatum: 23.12.2015 04:28:58
 Vial: 51
 Probenidentifikation: STD Trenbolone Acetat 2
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:02
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.650	22422131	0.000	94.879
	16.670	1210151	0.000	5.121

Totals		23632282	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\089_STD Trenbolone Acetat 2-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 05:22:22
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:04
 Injektvolumen: 20

S. 68
 28.12.15
 EOU



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	16.673	1220109	0.000 BDL 0.000	100.000

Totals		1220109	0.000	100.000
--------	--	---------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\090_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 06:15:48
 Vial: 52
 Probenidentifikation: C38092 A
 Operator: admin
 Chrom.-Beding.: ACN / Wasser, gradient
 Säule: Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:06
 Injektvolumen: 20

*S. 69
 25.12.15
 BOW*



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.660	13499957	0.000	72.752
	16.650	1188285	0.000	6.404
	21.257	2074009	0.000	11.177
	31.457	1793777	0.000	9.667
Totals		18556028	0.000	100.000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\091_C38092 A-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

*S. Jo
28.12.15
BGR*

Report steroid analysis

HPLC:	Nr. 6	Druckdatum:	24.12.2015 08:37:08
Analysendatum:	23.12.2015 07:09:15	Injektvolumen:	20
Vial:	52		
Probenidentifikation:	C38092 A		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 121, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.653	13584693	0.000	72.733
	16.647	1195445	0.000	6.400
	21.243	2090505	0.000	11.193
	31.440	1806938	0.000	9.674
Totals		18677581	0.000	100.000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\091_C38092 A-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

*S. 31
23.12.15
605*

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 08:02:43 Druckdatum: 24.12.2015 08:37:10
 Vial: 52 Injektvolumen: 20
 Probenidentifikation: C38092 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.667	13495559	0.000	72.745
	16.660	1184680	0.000	6.386
	21.257	2076521	0.000	11.193
	31.450	1795171	0.000	9.676

Totals		18551931	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse
 Steroide\15.12.15\091_C38092 A-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 08:56:09
 Vial: 53
 Probenidentifikation: C38092 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:12
 Injektvolumen: 20

5.72
15.12.15
DM



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.643	12605393	0.000	72.238
	16.637	1228855	0.000	7.042
	21.243	1938259	0.000	11.108
	31.503	1677299	0.000	9.612

Totals		17449806	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\092_C38092 B-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 09:49:34
 Vial: 53
 Probenidentifikation: C38092 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:14
 Injektvolumen: 20

S.B.
 28.12.15
 20V



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.667	12657872	0.000	74.881
	16.653	609948	0.000	3.608
	21.263	1949222	0.000	11.531
	31.503	1686958	0.000	9.980
Totals		16904000	0.000	100.000


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\092_C38092 B-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

*S.H
25.12.15
B.V.*

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 10:42:56
 Vial: 53
 Probenidentifikation: C38092 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:16
 Injektvolumen: 20



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.667	12712780	0.000	74.925
	16.657	601707	0.000	3.546
	21.267	1955376	0.000	11.524
	31.517	1697508	0.000	10.005
Totals		16967371	0.000	100.000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\092_C38092 B-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

S. AS
25.12.15
B.V.

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 11:36:16 Druckdatum: 24.12.2015 08:37:18
 Vial: 1 Injektvolumen: 20
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	16.673	635555	0.000 BDL 0.000	100.000

Totals		635555	0.000	100.000
--------	--	--------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\093_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 12:29:35
 Vial: 54
 Probenidentifikation: C38093 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:20
 Injektvolumen: 20

*S. 76
 28.12.15
 LAV*



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.657	13533206	0.000	21.581
	16.637	49176955	0.000	78.419


Totals		62710161	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\094_C38093 A-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

*2.11
25.12.15
B.M.*

Report steroid analysis

HPLC:	Nr. 6	Druckdatum:	24.12.2015 08:37:22
Analysendatum:	23.12.2015 13:22:58	Injektvolumen:	20
Vial:	54		
Probenidentifikation:	C38093 A		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 121, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.653	13742712	0.000	21.585
	16.633	49925430	0.000	78.415


Totals		63668142	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\094_C38093 A-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

*3.78
25.12.15
204*

Report steroid analysis

HPLC:	Nr. 6	Druckdatum:	24.12.2015 08:37:24
Analysendatum:	23.12.2015 14:16:16	Injektvolumen:	20
Vial:	54		
Probenidentifikation:	C38093 A		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 121, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.657	13659981	0.000	21.577
	16.640	49647968	0.000	78.423

Totals		63307949	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\094_C38093 A-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 15:09:37
 Vial: 55
 Probenidentifikation: C38093 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:26
 Injektvolumen: 20

2.75
 28.12.15
 BV



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.667	13456722	0.000	21.524
	16.647	49063185	0.000	78.476


Totals		62519907	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\095_C38093 B-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

S-80
28.12.15
200

HPLC:	Nr. 6	Druckdatum:	24.12.2015 08:37:28
Analysendatum:	23.12.2015 16:03:04	Injektvolumen:	20
Vial:	55		
Probenidentifikation:	C38093 B		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 121, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.673	13527198	0.000	21.571
	16.657	49183169	0.000	78.429

Totals		62710367	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\095_C38093 B-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 16:56:27
 Vial: 55
 Probenidentifikation: C38093 B
 Operator: admin
 Chrom.-Beding.: ACN / Wasser, gradient
 Säule: Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:30
 Injektvolumen: 20

*S. 81
 28.12.15
 20~*



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.577	13593113	0.000	21.626
	16.553	49262220	0.000	78.374

Totals		62855333	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\095_C38093 B-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

S82
28.12.15
bv

HPLC: Nr. 6
 Analysendatum: 23.12.2015 17:49:51
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:32
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat			0.000 BDL	


Totals				
--------	--	--	--	--

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\096_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

S.83
20.12.15
204

HPLC:	Nr. 6	Druckdatum:	24.12.2015 08:37:34
Analysendatum:	23.12.2015 18:43:11	Injektvolumen:	20
Vial:	56		
Probenidentifikation:	C38094 A		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 121, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.500	17416990	0.000	17.329
	16.500	83089698	0.000	82.671

Totals		100506688	0.000	100.000
--------	--	-----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\097_C38094 A-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 19:36:28
 Vial: 56
 Probenidentifikation: C38094 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:36
 Injektvolumen: 20

*J 84
 25.12.15
 200*



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.500	17452522	0.000	17.345
	16.500	83168859	0.000	82.655

Totals		100621381	0.000	100.000
--------	--	-----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\097_C38094 A-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 20:29:47
 Vial: 56
 Probenidentifikation: C38094 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:38
 Injektvolumen: 20

*3.85
 23.12.15
 27*



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.493	17349568	0.000	17.315
	16.493	82847270	0.000	82.685

Totals		100196838	0.000	100.000
--------	--	-----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\097_C38094 A-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 21:23:12
 Vial: 57
 Probenidentifikation: C38094 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:40
 Injektvolumen: 20

*> 80
 26.12.15
 200*



Channel A


UV Results				
Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.497	15317861	0.000	16.877
	16.487	75443820	0.000	83.123
Totals		90761681	0.000	100.000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\098_C38094 B-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

*587
28.12.15
ZAV*

HPLC: Nr. 6
 Analysendatum: 23.12.2015 22:16:31 Druckdatum: 24.12.2015 08:37:42
 Vial: 57 Injektvolumen: 20
 Probenidentifikation: C38094 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.497	15447653	0.000	16.872
	16.500	76109024	0.000	83.128

Totals		91556677	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\098_C38094 B-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

HPLC: Nr. 6
 Analysendatum: 23.12.2015 23:09:57
 Vial: 57
 Probenidentifikation: C38094 B
 Operator: admin
 Chrom.-Beding.: ACN / Wasser, gradient
 Säule: Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:44
 Injektvolumen: 20

5.88
 28.12.15
 200



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.503	15400495	0.000	16.871
	16.503	75880814	0.000	83.129


Totals		91281309	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\098_C38094 B-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

289
28.12.15
210

HPLC: Nr. 6
 Analysendatum: 24.12.2015 00:03:18
 Vial: 1
 Probenidentifikation: Blank
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm
 Druckdatum: 24.12.2015 08:37:46
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat			0.000 BDL	


Totals				
--------	--	--	--	--

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\099_Blank.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

5.90
28.12.15
End

HPLC: Nr. 6
 Analysendatum: 24.12.2015 00:56:38 Druckdatum: 24.12.2015 08:37:48
 Vial: 58 Injektvolumen: 20
 Probenidentifikation: C38095 A
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.497	13491315	0.000	97.079
Totals		13897229	0.000	100.000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse
 Steroide\15.12.15\100_C38095 A-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

5.91
28.12.15
2015

Report steroid analysis

HPLC:	Nr. 6	Druckdatum:	24.12.2015 08:37:50
Analysendatum:	24.12.2015 01:50:02	Injektvolumen:	20
Vial:	58		
Probenidentifikation:	C38095 A		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 121, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	5.483	408950	0.000	2.931
	14.507	13545199	0.000	97.069


Totals		13954149	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\100_C38095 A-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

S.92
28.12.15
BW

HPLC:	Nr. 6	Druckdatum:	24.12.2015 08:37:52
Analysendatum:	24.12.2015 02:43:23	Injektvolumen:	20
Vial:	58		
Probenidentifikation:	C38095 A		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 121, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results


Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.493	13650407	0.000	97.071
Totals		14062310	0.000	100.000

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\100_C38095 A-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

*S 73
25.12.15
BIV*

HPLC:	Nr. 6	Druckdatum:	24.12.2015 08:37:54
Analysendatum:	24.12.2015 03:36:42	Injektvolumen:	20
Vial:	59		
Probenidentifikation:	C38095 B		
Operator:	admin		
Chrom.-Beding.	ACN / Wasser, gradient		
Säule	Nr. 121, 100-5 C18 250 x 4.6 mm		
Detektion:	UV 240nm		



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.483	14287749	0.000	97.085


Totals		14716775	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\101_C38095 B-Rep1.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

S. 54
28.12.15
bvs

HPLC: Nr. 6
 Analysendatum: 24.12.2015 04:30:10 Druckdatum: 24.12.2015 08:37:56
 Vial: 59 Injektvolumen: 20
 Probenidentifikation: C38095 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.493	14337280	0.000	97.086

Totals		14767585	0.000	100.000
--------	--	----------	-------	---------


Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse
 Steroide\15.12.15\101_C38095 B-Rep2.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met

Report steroid analysis

*S.SF
20.12.15
Lof*

HPLC: Nr. 6
 Analysendatum: 24.12.2015 05:23:37
 Vial: 59
 Probenidentifikation: C38095 B
 Operator: admin
 Chrom.-Beding. ACN / Wasser, gradient
 Säule Nr. 121, 100-5 C18 250 x 4.6 mm
 Detektion: UV 240nm

Druckdatum: 24.12.2015 08:37:59
 Injektvolumen: 20



Channel A

UV Results

Name	Time	Area	Amount	Area Percent
Trenbolone Acetat	14.487	14326047	0.000	97.080

Totals		14757007	0.000	100.000
--------	--	----------	-------	---------

Daten File: C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2015\Dezember 2015\Diverse Steroide\15.12.15\101_C38095 B-Rep3.dat
 Methode: C:\EZChrom Elite\Enterprise\Projects\Simec\Method\Steroide\Steroide A.met