# Anabolic Lab

Analytical Lab Testing for Anabolic Steroid Harm Reduction

https://anaboliclab.com

Lab Report – September 30, 2016

VNUM Labs NPPnum 150 (150 mg/mL) Nandrolone Phenylpropionate



If you like the attached report, please visit <u>our website</u> to find out how you can support independent and objective lab testing.



Gartnereiweg 4 B CH-4665 Oftringen

**Test report** 

Number C 47304

Object of analysis:

VNUM Labs NPPnum 150

Customer:

AnabolicLab.com

Samples: 1

Batch:

Receipt: 15.08.2016

Subject:

Assay, Identification Nandrolone Phenylpropionate

Method(s):

HPLC, SOP M 006

Sample / Analysis:	Method	Status	Result	Specification	complies
Nandrolone Phenylpropionate: Identification Content	HPLC HPLC	N N	complies 164.6 mg/mL	complies 150 mg/mL	yes -
TAMC TYMC	SOP M 006 SOP M 006		< 1 CFU/mL < 1 CFU/mL	-	-

Method-status:

G = GMP A = accreditated V = generally validated P = validated on product N = not validated

Remarks:

The sample(s) mentioned above have been analysed as they have been sent to us by the client. We have not controlled external processes like manufacturing, labelling, sampling, shipping, storage. These results are for information only and do not compensate for correct quality control by the manufacturer/distributor. Generally, pharmaceutical products have to be produced and distributed under full GMP/GDP regime, including GMP-compliant analyses with validated

methods.

controlled & released:

completed:

30.09.2016

page 1 of 1

The enclosed results refer exclusively to the object of examination described above. The measuring accuracy is available on request. Only handwritten signatures are valid. Without written permission, it is not allowed to publish single parts of this report.

Simec AG Page 1 of 1 (1)

Druckdatum:

Injektvolumen:

29.09.2016 13:47:58

20

#### Report steroid analysis

HPLC:

Nr.5

Analysendatum:

29.09.2016 06:43:52

Vial:

Probenidentifikation:

22

Operator:

C47304 A

Chrom.-Beding.

admin

Chrom.-Beding

ACN / Wasser, gradient

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



## Channel A

**UV Results** 

Name	Time	Area	Amount	<b>Area Percent</b>	
	14,377	55871860	0,000	55,715	
Nandrolone Phenylpropionate	22,507 44409255		0,000	44,285	
Totals					
		100281115	0,000	100,000	

Daten File:

C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26

Steroide\029\_C47304 A-Rep1.dat

Methode:

Simec AG Page 1 of 1 (2)

Druckdatum:

Injektvolumen:

29.09.2016 13:48:02

20

#### Report steroid analysis

HPLC:

Analysendatum:

29.09.2016 07:37:12

Vial:

22

Probenidentifikation:

C47304 A

Operator: Chrom.-Beding. admin

ACN / Wasser, gradient

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



### Channel A

**IIV** Results

Name	Time	Area	Amount	<b>Area Percent</b>
	14,377	55794451	0,000	55,675
Nandrolone Phenylpropionate	22,503	44420205	0,000	44,325
Totals				
MCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC		100214656	0,000	100,000

Daten File:

C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26

Steroide\029\_C47304 A-Rep2.dat

Methode:

Simec AG Page 1 of 1 (3)

Druckdatum:

Injektvolumen:

29.09.2016 13:48:08

20

#### Report steroid analysis

HPLC:

Nr.5

Analysendatum:

29.09.2016 08:30:34

Vial:

22

Probenidentifikation:

C47304 A

Operator:

admin

Chrom.-Beding.

ACN / Wasser, gradient

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



#### Channel A

**UV Results** 

Time	Area	Amount	<b>Area Percent</b>
14,377	55731797	0,000	55,633
22,500	44446672	0,000	44,367
	100178469	0.000	100,000
	14,377	14,377 55731797 22,500 44446672	14,377 55731797 0,000

Daten File:

C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26

Steroide\029 C47304 A-Rep3.dat

Methode:

Simec AG Page 1 of 1 (4)

Druckdatum:

Injektvolumen:

29.09.2016 13:48:14

20

#### Report steroid analysis

HPLC:

Nr.5

Analysendatum:

29.09.2016 09:24:04

Vial:

23

Probenidentifikation:

C47304 B

Operator:

admin

Chrom.-Beding.

ACN / Wasser, gradient

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



#### Channel A

**UV Results** 

Name	Time	Area	Amount	<b>Area Percent</b>
	14,377	52812213	0,000	55,790
Nandrolone Phenylpropionate	22,487	41849567	0,000	44,210
Totals			2 2 2 2	Wa Milawaii
		94661780	0,000	100,000

Daten File:

C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26

Steroide\030\_C47304 B-Rep1.dat

Methode:

Simec AG Page 1 of 1 (5)

Druckdatum:

Injektvolumen:

29.09.2016 13:48:19

20

#### Report steroid analysis

HPLC:

Nr.5

Analysendatum:

29.09.2016 10:17:35

Vial:

23

Probenidentifikation:

C47304 B

Operator:

admin

Chrom.-Beding.

ACN / Wasser, gradient

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



#### Channel A

UV	Resu	lts
----	------	-----

Time	Area	Amount	<b>Area Percent</b>
14,377	52752271	0,000	55,812
22,493 41764973		0,000	44,188
	94517244	0,000	100,000
	14,377	14,377 52752271 22,493 41764973	14,377 52752271 0,000 22,493 41764973 0,000

Daten File:

C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26

Steroide\030\_C47304 B-Rep2.dat

Methode:

Simec AG Page 1 of 1 (6)

Druckdatum:

Injektvolumen:

29.09.2016 13:48:23

#### Report steroid analysis

HPLC:

Nr.5

Analysendatum:

29.09.2016 11:10:59

Vial:

23

Probenidentifikation:

C47304 B

Operator:

admin

Chrom.-Beding.

ACN / Wasser, gradient

Temperatur:


40 °C

Säule

Nr. 135, 250 x 4,6, C18

Detektion:

UV 240nm



### Channel A

UV Results Name	Time	Area	Amount	Area Percent
Nandrolone Phenylpropionate	14,373 22,487	14,373 52690871	0,000 0,000	55,824 44,176
Totals		94386729	0,000	100,000

Daten File: C:\EZ

C:\EZChrom Elite\Enterprise\Projects\Simec\Data\2016\September 2016\16-09-26

Steroide\030\_C47304 B-Rep3.dat

Methode: